

## КОНКУРСНА ДОКУМЕНТАЦИЈА

### ЈАВНА НАБАВКА – ОРИГИНАЛНИ РЕЗЕРВНИ ДЕЛОВИ ЗА СИСТЕМ SKI DATA

### ПРЕГОВАРАЧКИ ПОСТУПАК БЕЗ ОБЈАВЉИВАЊА ПОЗИВА ЗА ПОДНОШЕЊЕ ПОНУДА ЈАВНА НАБАВКА БР. 55/14

Датум објаве на порталу јавних набавки: 08.09.2014. године

Рок за подношење понуде: 17.09.2014. године до 10 часова

**Септембар , 2014. године**

На основу чл. 36. ст. 1. тач. 2) и 61. Закона о јавним набавкама („Сл. гласник РС” бр. 124/2012, у даљем тексту: Закон), чл. 5. Правилника о обавезним елементима конкурсне документације у поступцима јавних набавки и начину доказивања испуњености услова („Сл. гласник РС” бр. 29/2013), Мишљења Управе за јавне набавке број 404-02-1023/14 од 24.03.2014. године, Одлуке о покретању поступка јавне набавке број 3507 и Решења о образовању комисије за јавну набавку бр. 3508, од 04.09.2014. године, припремљена је:

**КОНКУРСНА ДОКУМЕНТАЦИЈА**  
**у преговарачком поступку без објављивања позива за подношење понуда**  
**за јавну набавку бр. 55/14**

Конкурсна документација садржи:

<b>Поглавље</b>	<b>Назив поглавља</b>	<b>Страна</b>
I	Општи подаци о јавној набавци	3
II	Подаци о предмету јавне набавке	4
III	Врста, техничке карактеристике, квалитет, количина и опис добара, место извршења или испоруке добара	5-21
IV	Техничка документација и планови	/
V	Услови за учешће у поступку јавне набавке из чл. 75. и 76. Закона и упутство како се доказује испуњеност тих услова	23-26
VI	Елементи уговора о којима ће се преговарати и начин преговарања	27
VII	Упутство понуђачима како да сачине понуду	28-35
VIII	Образац понуде	36-39
IX	Образац структуре цене са упутством како да се попуни	40-57
X	Образац трошкова припреме понуде	58
XI	Образац изјаве о независној понуди	59
XII	Образац изјаве о поштовању обавеза из чл. 75. ст. 2. Закона	60
XIII	Модел уговора	61-64

## **I ОПШТИ ПОДАЦИ О ЈАВНОЈ НАБАВЦИ**

### **1. Подаци о наручиоцу**

Наручилац: .....Јавно предузеће "Скијалишта Србије"  
Адреса: .....Милутина Миланковића 9, Нови Београд  
Интернет страница:.....www.skijalistasrbije.rs

### **2. Врста поступка јавне набавке**

Предметна јавна набавка се спроводи у преговарачком поступку без објављивања позива за подношење понуда, у складу са Законом и подзаконским актима којима се уређују јавне набавке.

Основ за примену преговарачког поступка са објављивањем позива за подношење понуда је члан 36. став 1. тачка 2) Закона о јавним набавкама и позитивно мишљење Управе за јавне набавке бр. 404-02-1023/14 од 24.03.2014.

### **3. Предмет јавне набавке**

Предмет јавне набавке бр. 55/14 су оригинални резервни делови за систем SkiData.

### **4. Циљ поступка**

Поступак јавне набавке се спроводи ради закључења уговора о јавној набавци.

### **5. Напомена уколико је у питању резервисана јавна набавка**

Није у питању резервисана јавна набавка.

### **6. Напомена уколико се спроводи електронска лицитација**

Не спроводи се електронска лицитација.

### **7. Контакт (лице или служба)**

Лице (или служба) за контакт: Одељење за јавне набавке, 011/222-39-61

Број факса: 011/311-90-30.

## **II ПОДАЦИ О ПРЕДМЕТУ ЈАВНЕ НАБАВКЕ**

### **1. Предмет јавне набавке**

Предмет јавне набавке бр. 55/14 су добра: оригинални резервни делови за систем SkiData.

Ознака из ОРН: 3170000 електронски, електромеханички и електротехнички материјал

### **2. Партије**

Предмет јавне набавке није обликован по партијама.

### III ВРСТА, ТЕХНИЧКЕ КАРАКТЕРИСТИКЕ, КВАЛИТЕТ, КОЛИЧИНА И ОПИС ДОБАРА, МЕСТО ИСПОРУКЕ ДОБАРА

#### 1. Техничке карактеристике – спецификација

Red.br	Kataloški broj	Naziv	Opis
1	937800020	SW-CO/OS	Operating program/firmware coder
2	938100802	CODER UNLIMITED DESK 1S/13MHz	Desktop Coder Unlimited 13MHz with single stacker, incl. power-supply (110V/220V) and ticket collection box
3	938100812	CODER UNLIMITED DESK 3S/13MHz	Desktop Coder Unlimited 13MHz with triple stacker, incl. power-supply (110V/220V) and ticket collection box
4	946010510	CO UNLIMITED BC C	Crosswise barcode reader for Coder Basic/Unlimited
5	CPZ4410	Cleaning Kit Coder	Cleaning set Coders. For Coder Unlimited/Basic/Light, Coders x70, monitor, keyboard
6	938080100	SP-CO/UNLIMITED	Service set for Coder Unlimited (1-/3-stacker or desk leporello) or Coder Basic 'OPOS', content customer-specific, contains spare parts for fast help in case of coder troubles
7	937800020	SW-CO/OS	Operating program/firmware coder
8	946100000	CODER UNLIMITED DESK	Desktop Coder Unlimited incl. 2 parkpositions and double fanfold feed
9	946010510	CO UNLIMITED BC C	Crosswise barcode reader for Coder Basic/Unlimited
10	946010074	CO UNLIMITED RFID/13MHz	RFID Kit 13MHz for Coder Unlimited Desk (SD805)
11	CPZ4410	Cleaning Kit Coder	Cleaning set Coders. For Coder Unlimited/Basic/Light, Coders x70, monitor, keyboard
12	938080100	SP-CO/UNLIMITED	Service set for Coder Unlimited (1-/3-stacker or desk leporello) or Coder Basic 'OPOS', content customer-specific, contains spare parts for fast help in case of coder troubles
13	946100800	CO UNLIMITED DESK/e	Conversion kit for "Coder Unlimited Desk 1-/3-stacker" to "Coder Unlimited Desk" incl. leporello/fanfold ticket feeder with table adapter
14	937800020	SW-CO/OS	Operating program/firmware coder

15	938100002	<b>CO BASIC OPOS/13MHz</b>	Coder Basic 'OPOS', ticket coder for handsfree datacarriers 13MHz
16	CPZ4410	<b>Cleaning Kit Coder</b>	Cleaning set Coders. For Coder Unlimited/Basic/Light, Coders x70, monitor, keyboard
17	938080100	<b>SP-CO/ UNLIMITED</b>	Service set for Coder Unlimited (1-/3-stacker or desk leporello) or Coder Basic 'OPOS', content customer-specific, contains spare parts for fast help in case of coder troubles
18	937800020	<b>SW-CO/OS</b>	Operating program/firmware coder
19	938100012	<b>CO LIGHT OPOS/13MHz</b>	Coder Light 'OPOS', ticket coder for handsfree datacarriers 13MHz
20	966201060	<b>RD-KEYD/13MHz</b>	Keydetector 13MHz, processes ISO15693 data carriers, incl. keypad, red/green-LED, beep, USB-cable 3m (power-over-USB), I/O-cable 3m, incl. operating program
21	935010400	<b>KC x50 BK03/ USB-MOUNTAIN</b>	SKIDATA keyboard, USB, incl. 27 special keys "Mountain", without country-specific keys
22	935010183	<b>KC x50 BK03/ KEYS-HR</b>	Country specific keys Croatia for SKIDATA keyboard
23	935010185	<b>KC x50 BK03/ KEYS-BA</b>	Country specific keys Bosnia-Hercegovina for SKIDATA keyboard
24	935010186	<b>KC x50 BK03/ KEYS-BG</b>	Country specific keys Bulgaria for SKIDATA keyboard
25	935010800	<b>KC x50 BK02/TEB</b>	Inlay paper for SKIDATA keyboard 1 piece A4 sheet, precut, printable
26	935010190	<b>KC x50 BK02-MOUNTAIN/V18</b>	27 special keys "Mountain" for SKIDATA keyboard KC x50 BK02 and KC x50 BK03, needed only for existing keyboards if software is updated to version 18 or higher
27	945021020	<b>CUST DISPL MC/USB</b>	LCD customer display 2x16 characters with LED backlight, incl. stand foot, 4 vacuum cups, 3m USB-data/power-cable
28	937000110	<b>KC 370i AUT2</b>	KC Recycler, incl. monitor, alarm, and I/O-Device 'USB-4761' for processing of monitor confirmation buttons, for convenient returning of keycards and refunding of the deposit
29	937010200	<b>KC 370i AUT2/BR</b>	Option banknote module
30	937010210	<b>KC 370i AUT2/MR</b>	Option coin module
31	937010212	<b>KC 370i AUT2/MR/GR</b>	Option coin module for big coins. Diameter > 30mm.
32	945010012	<b>KA 450 USV 2</b>	Uninterruptable power supply, 650VA / 220V

33	937010500	<b>KC 370i AUT2/H/220V</b>	Option Heating 220V
34	937010510	<b>KC 370i AUT2/H/110V</b>	Option Heating 110V
35	936010020	<b>KC 360 AUT/SF</b>	Stand leg for KC recycler
36	937010700	<b>KC 370i AUT2/KON</b>	Console for wall mounting
37	937010260	<b>KC 370i AUT2/WKB</b>	Change cassette banknotes
38	937010250	<b>KC 370i AUT2/WKM</b>	Change cassette coins
39	937411006	<b>AC-IO/USB-4761</b>	I/O-Device 'USB-4761', 8 In-/Outputs each, incl. USB cable, Power-over-USB
40	938000000	<b>AT-EASY/MOUNT</b>	Ticket Vending Machine, wall-mounted, cashless payment, incl. reload module, excl. payment terminal and associated cover plate, excl. software
41	938000000	<b>AT-EASY/MOUNT</b>	Ticket Vending Machine, wall-mounted, cashless payment, incl. reload module, excl. payment terminal and associated cover plate, excl. software
42	938010700	<b>AT-EASY/MOUNT/FOOT</b>	Standfoot
43	938010710	<b>AT-EASY/WALLMOUNT/BANKSYS</b>	Cover plate for 'Banksys' payment terminal for wall-mount machine
44	938010712	<b>AT-EASY/WALLMOUNT/INGENICO</b>	Cover plate for 'Ingenico' payment terminal for wall-mount machine
45	938010714	<b>AT-EASY/WALLMOUNT/SAGEM</b>	Cover plate for 'Sagem' payment terminal for wall-mount machine
46	938010718	<b>AT-EASY/WALLMOUNT/THALES</b>	Cover plate for 'Thales' payment terminal for wall-mount machine
47	938010720	<b>AT-EASY/WALLMOUNT/DAVINCI2</b>	Cover plate for 'Davinci2' payment terminal for wall-mount machine
48	938000020	<b>AT-EASY/RELOAD</b>	Ticket Vending Machine, ticket reload function only, cashless payment, excl. payment terminal and associated cover plate, excl. software
49	938000020	<b>AT-EASY/RELOAD</b>	Ticket Vending Machine, ticket reload function only, cashless payment, excl. payment terminal and associated cover plate, excl. software
50	938010702	<b>AT-EASY/RELOAD/FOOT</b>	Standfoot

51	938010730	<b>AT-EASY/ RELOAD/ BANKSYS</b>	Cover plate for 'Banksys' payment terminal for reload machine
52	938010732	<b>AT-EASY/ RELOAD/ INGENICO</b>	Cover plate for 'Ingenico' payment terminal for reload machine
53	938010734	<b>AT-EASY/ RELOAD/ SAGEM</b>	Cover plate for 'Sagem' payment terminal for reload machine
54	938010738	<b>AT-EASY/ RELOAD/ THALES</b>	Cover plate for 'Thales' payment terminal for reload machine
55	938010740	<b>AT-EASY/ RELOAD/ DAVINCI2</b>	Cover plate for 'Davinci2' payment terminal for reload machine
56	937800020	<b>SW-CO/OS</b>	Operating program/firmware coder
57	938100012	<b>CO LIGHT OPOS/13MHz</b>	Coder Light 'OPOS', ticket coder for handsfree datacarriers 13MHz
58	937800020	<b>SW-CO/OS</b>	Operating program/firmware coder
59	938100002	<b>CO BASIC OPOS/13MHz</b>	Coder Basic 'OPOS', ticket coder for handsfree datacarriers 13MHz
60	CPZ4410	<b>Cleaning Kit Coder</b>	Cleaning set Coders. For Coder Unlimited/Basic/Light, Coders x70, monitor, keyboard
61	966201060	<b>RD-KEYD/13MHz</b>	Keydetector 13MHz, processes ISO15693 data carriers, incl. keypad, red/green-LED, beep, USB-cable 3m (power-over-USB), I/O-cable 3m, incl. operating program
62	937802000	<b>SW-POC/OS</b>	Operating program/firmware reader
63	937802100	<b>SW-POC/OS/ DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface)
64	937802110	<b>SW-POC/OS/ DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface), for reader control by 3rd party software
65	938203000	<b>Easy.Gate/ Antenna</b>	Antenna for Easy.Gate, high and child-friendly left-side antenna for fast keycard detection 13.56MHz, 2-colour user lights
66	937500200	<b>Easy.Gate/ Turnstile</b>	Servo driven turnstile incl. electronics, for convenient passing, without turnstile bar
67	938310020	<b>Easy.Gate/PWR Housing</b>	Power supply Standard for 1 Easy.Gate, incl. Housing
68	938310022	<b>Easy.Gate/PWR/UL</b>	Power supply UL version (USA) for 1 Easy.Gate, without housing, for installation in electrical switch cabinet, for UL conforme installations



69	938310002	<b>Vario.Gate/ FRMO/PWR240 Housing</b>	Power supply with housing and main on/off-switch, with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gate checkpoints depending on their configuration
70	938310012	<b>Vario.Gate/ FRMO/PWR240</b>	Power supply with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gates checkpoints depending on their configuration
71	935500010	<b>DKZ x70i S3</b>	Turnstile bar, 3 arms
72	935500030	<b>DKZ x70i S2</b>	Turnstile bar, 2 arms
73	935500020	<b>DKZ x70i S1</b>	Turnstile bar, 1 arm
74	938203900	<b>Easy.Gate/ Cover</b>	Cover for Easy.Gate
75	935520000	<b>DKZ 350 ST/HV</b>	Floor-stand height-adjustable, incl. protective plate
76	935520020	<b>DKZ 350 P</b>	Pallet
77	937520000	<b>AS x70 GATE/STFU/P</b>	Railing, galvanized, height-adjustment, Pallet Mounting
78	937520030	<b>AS x70 GATE/STFU/M</b>	Railing, galvanized, height-adjustment, Floor Mounting
79	935520010	<b>DKZ 350 ST/INOX</b>	Inox Floor-Stand for Turnstile.Gate
80	966520020	<b>DKZ x60 P/S</b>	Mounting Pallet for Turnstile.Gate (incl. pallet joints)
81	966520030	<b>DKZ x60 G/S</b>	Railing for mounting pallet of Turnstile.Gate
82	937802000	<b>SW-POC/OS</b>	Operating program/firmware reader
83	937802100	<b>SW-POC/OS/ DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface)
84	937802110	<b>SW-POC/OS/ DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface), for reader control by 3rd party software
85	938203000	<b>Easy.Gate/ Antenna</b>	Antenna for Easy.Gate, high and child-friendly left-side antenna for fast keycard detection 13.56MHz, 2-colour user lights

86	938203800	<b>Easy.Gate/ DKZx70i/ Retrofit</b>	Retrofit kit for existing turnstile DKZ350/x70i for usage with Easy.Gate, contains electronic boards and mounting material
87	938203900	<b>Easy.Gate/ Cover</b>	Cover for Easy.Gate
88	966800145	<b>LZ HSH SD RFID</b>	Reader Licence for SKIDATA ISO15693 RFID data carriers per reader
89	937802000	<b>SW-POC/OS</b>	Operating program/firmware reader
90	937802120	<b>SW-POC/OS/ DEI</b>	Operating program reader / firmware
91	937802100	<b>SW-POC/OS/ DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface)
92	937802110	<b>SW-POC/OS/ DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface), for reader control by 3rd party software
93	938200016	<b>RD-FRMO/ BASIC/5</b>	Freemotion.Gate 'Basic' including QVGA color display and operator lights, enhanced marketing possibilities by displaying of logos and advertising, high and child-friendly antenna for fastest left-side detection of 13MHz/ISO15693 data carriers, 4 light sensors for convenient and childproof passing, climated aluminium diecast housing for robust operation
94	938310002	<b>Vario.Gate/ FRMO/PWR240 Housing</b>	Power supply with housing and main on/off-switch, with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gate checkpoints depending on their configuration
95	938310012	<b>Vario.Gate/ FRMO/PWR240</b>	Power supply with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gates checkpoints depending on their configuration
96	938500110	<b>RD-FRMO/S1</b>	Turnstile 1-arm
97	938500120	<b>RD-FRMO/S2</b>	Turnstile 2-arm, recommended for access with fastened ski
98	938500100	<b>RD-FRMO/S3</b>	Turnstile 3-arm, recommended for access with not fastened ski
99	938520014	<b>RD-FRMO/ FOOT/5</b>	Stand foot (incl. board and cables) for base unit and right-side antenna
100	938520026	<b>RD-FRMO/ PAL/3</b>	Standard pallet for Freemotion.Gate, for easy reader mounting
101	938520052	<b>RD-FRMO/ RAILING/PAL</b>	Right-side railing for reader group Freemotion.Gate 'Basic', height-adjustable, pallet mounting

102	938520054	<b>RD-FRMO/ RAILING/FLOOR</b>	Right-side railing for reader group Freemotion.Gate 'Basic', height-adjustable, floor mounting
103	938520004	<b>RD-FRMO/ SUSPENS/5</b>	Accessory set for suspension of Freemotion.Gate, per base unit
104	938200800	<b>SV-RD/ FRMO/CUT</b>	Cutting of Freemotion.Gate (base unit or right-side antenna) for gantry mounting
105	938210002	<b>RD-FRMO/BC2/3</b>	Barcode module 2-way for Freemotion.Gate, for double-side reading (top and bottom) of barcode tickets
106	938210030	<b>RD-FRMO/ HDETECT</b>	Height detection sensor for Freemotion.Gate, for avoiding misuse of child tickets
107	938210012	<b>RD-FRMO/ CAMERA/2</b>	Video camera IP/VGA for Freemotion.Gate, for avoiding misuse of time tickets
108	938210032	<b>VARIO.GATE/ FRMO/ SOUNDMODULE</b>	Sound module for playing of polyphone sounds (WAV files) at the Freemotion reader resp. Vario.Gate
109	938500200	<b>RD-FRMO/ BRAKE/3</b>	Brake for turnstile of Freemotion.Gate
110	938520050	<b>RD-FRMO/ FRAIL</b>	Front railing / strap, for base unit and right-side antenna, for convenient access of children, beginners, and snowboarders
111	938200700	<b>RD-FRMO/ HAUTO</b>	Convenient and fast height adjustment, for base unit and right-side antenna, for changing snow heights
112	938520030	<b>RD-FRMO/ PAL/INDOOR</b>	Pallet top cover indoor, extension for standard and wide pallet
113	938200900	<b>RD-FRMO/ COVER</b>	Cover standard size for Freemotion.Gate 'Basic'/'Full'
114	938080210	<b>SP-RD/ FREEMOTION/3</b>	Service set for Freemotion.Gate V3/V5, content customerspecific, contains spare parts for fast help in case of reader troubles
115	938210120	<b>RD-FRMO/ UL</b>	Extension kit for UL conformity (USA and Canada only), for base unit of Freemotion.Gate
116	937802000	<b>SW-POC/OS</b>	Operating program/firmware reader
117	937802120	<b>SW-POC/OS/ DEI</b>	Operating program reader / firmware
118	937802100	<b>SW-POC/OS/ DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface)
119	937802110	<b>SW-POC/OS/ DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface), for reader control by 3rd party software

120	938200006	<b>RD-FRMO/ FULL/5</b>	Base unit for Freemotion.Gate 'Full' including QVGA color display and operator lights, enhanced marketing possibilities by displaying of logos and advertising, high and child-friendly antenna for fastest detection of 13MHz/ISO15693 data carriers over the entire lane, 4 light sensors for convenient and childproof passing, climated aluminium diecast housing for robust operation
121	938201003	<b>RD-FRMO/ FULL/RIGHT/5</b>	Right-side antenna for Freemotion.Gate 'Full', needed 1x per reader group, for fastest detection of 13,56MHz/ISO15693 data carriers over the entire lane
122	938310002	<b>Vario.Gate/ FRMO/PWR240 Housing</b>	Power supply with housing and main on/off-switch, with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gate checkpoints depending on their configuration
123	938310012	<b>Vario.Gate/ FRMO/PWR240</b>	Power supply with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gates checkpoints depending on their configuration
124	938500110	<b>RD-FRMO/S1</b>	Turnstile 1-arm
125	938500120	<b>RD-FRMO/S2</b>	Turnstile 2-arm, recommended for access with fastened ski
126	938500100	<b>RD-FRMO/S3</b>	Turnstile 3-arm, recommended for access with not fastened ski
127	938520014	<b>RD-FRMO/ FOOT/5</b>	Stand foot (incl. board and cables) for base unit and right-side antenna
128	938520026	<b>RD-FRMO/ PAL/3</b>	Standard pallet for Freemotion.Gate, for easy reader mounting
129	938520028	<b>RD-FRMO/ PAL/RIGHT/3</b>	Wide pallet for rightest lane in the reader group (instead of Standard pallet), for easy reader mounting
130	938520004	<b>RD-FRMO/ SUSPENS/5</b>	Accessory set for suspension of Freemotion.Gate, per base unit
131	938200800	<b>SV-RD/ FRMO/CUT</b>	Cutting of Freemotion.Gate (base unit or right-side antenna) for gantry mounting
132	938210002	<b>RD-FRMO/BC2/3</b>	Barcode module 2-way for Freemotion.Gate, for double-side reading (top and bottom) of barcode tickets
133	938210030	<b>RD-FRMO/ HDETECT</b>	Height detection sensor for Freemotion.Gate, for avoiding misuse of child tickets
134	938210012	<b>RD-FRMO/ CAMERA/2</b>	Video camera IP/VGA for Freemotion.Gate, for avoiding misuse of time tickets
135	938210032	<b>VARIO.GATE/ FRMO/ SOUNDMODULE</b>	Sound module for playing of polyphone sounds (WAV files) at the Freemotion reader resp. Vario.Gate

136	938500200	<b>RD-FRMO/ BRAKE/3</b>	Brake for turnstile of Freemotion.Gate
137	938520050	<b>RD-FRMO/ FRAIL</b>	Front railing / strap, for base unit and right-side antenna, for convenient access of children, beginners, and snowboarders
138	938520056	<b>RD-FRMO/ FRAIL/SHIELD</b>	Shielding plate against card detection from neighbour reader, optional article for front railing / strap, for antennas of Freemotion.Gate 'Full' that are not outside located in the reader group
139	938200700	<b>RD-FRMO/ HAUTO</b>	Convenient and fast height adjustment, for base unit and right-side antenna, for changing snow heights
140	938520030	<b>RD-FRMO/ PAL/INDOOR</b>	Pallet top cover indoor, extension for standard and wide pallet
141	938200900	<b>RD-FRMO/ COVER</b>	Cover standard size for Freemotion.Gate 'Basic'/'Full'
142	938080210	<b>SP-RD/ FREEMOTION/3</b>	Service set for Freemotion.Gate V3/V5, content customerspecific, contains spare parts for fast help in case of reader troubles
143	938210074	<b>RD-FRMO/HF/ RESISTOR/3</b>	HF termination resistor for base unit of Freemotion.Gate 'Full' (V3, V5), for temporary disconnection and removal of the right-side antenna
144	938210120	<b>RD-FRMO/ UL</b>	Extension kit for UL conformity (USA and Canada only), for base unit of Freemotion.Gate
145	938210046	<b>RD-FRMO/ OPENGATE/5</b>	Additional front antenna for base unit for Freemotion.Gate 'Open', for more access convenience and higher through- put
146	938201214	<b>RD-FRMO/ OPENGATE/ RIGHT/5</b>	Additional front antenna for right-side antenna for Freemotion.Gate 'Open', for more access convenience and higher through-put
147	938200910	<b>RD-FRMO/COVER/OPENGATE</b>	Cover oversize for Freemotion.Gate 'Open'
148	938500210	<b>RD-FRMO/BRAKE/RETROFIT</b>	Retrofit set brake for turnstile of Freemotion.Gate V1/V3. Availability and delivery time on request
149	938500210	<b>RD-FRMO/BRAKE/RETROFIT</b>	Retrofit set brake for turnstile of Freemotion.Gate V1/V3, used device. Availability and delivery time on request
150	938200724	<b>RD-FRMO/BC/ COVER</b>	Cover plate for barcode module
151	938080200	<b>SP-RD/ FREEMOTION</b>	Service set for Freemotion.Gate V1 (2006-2008), content customerspecific, contains spare parts for fast help in case of reader troubles
152	938200800	<b>SV-RD/ FRMO/CUT</b>	Cutting of Freemotion.Gate (base unit or right-side antenna) for gantry mounting
153	937802000	<b>SW-POC/OS</b>	Operating program/firmware reader

154	937802120	<b>SW-POC/OS/DEI</b>	Operating program reader / firmware
155	937802100	<b>SW-POC/OS/DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface)
156	937202020	<b>Vario.Gate p@h/qvga/V3</b>	Vario.Gate with QVGA display and one-point technology for ticket supply, fastest ticket check of 1D/2D barcode tickets, print@home tickets, and RFID data carriers ISO14443/15693. Reader licence for 1D/2D barcodes included.
157	966800145	<b>LZ HSH SD RFID</b>	Reader Licence for SKIDATA ISO15693 RFID data carriers per reader
158	966800146	<b>LZ HSH 3RD RFID</b>	Reader Licence for SKIDATA ISO15693 and ISO14443 3rd party RFID data carriers per reader
159	966800147	<b>LZ HSH SD RFID UP</b>	Upgrade Licence from SKIDATA ISO15693 RFID to 3rd party RFID per reader
160	937250000	<b>Vario.Gate - AS x70i C/Adapter/FL</b>	Mounting Adapter for SKIDATA Turnstile for one-way operation - left handed
161	937250010	<b>Vario.Gate - AS x70i C/Adapter/B</b>	Mounting Adapter for SKIDATA Turnstile entrance or exit
162	937250020	<b>Vario.Gate - AS x70i C/Adapter/FR</b>	Mounting Adapter for SKIDATA Turnstile for one way operation - right handed
163	937250030	<b>Vario.Gate - AS x70i C/Adapter/L+R</b>	Mounting Adapter for 2 Readers on turnstile, bidirectional mode for simultaneous entrance and exit
164	937250012	<b>Vario.Gate Direction Recognition Adapter</b>	Automatic direction recognition (entrance, exit, middle position) Includes: SD808 print, modified mounting adapter for turnstile, sensor, interlock
165	937250040	<b>Vario.Gate Adapter-Retrofit Kit</b>	Retrofit Kit Reader Adapter for SKIDATA Turnstiles Adapter ASx70i Compact.Gate must be on site
166	937212220	<b>Vario.Gate Operator Display Cable</b>	Cable is required for retrofit Compact.Gate Operator Display to Vario.Gate Operator Display
167	937212200	<b>Vario.Gate SD-Interface Print</b>	Vario.Gate interface board for SKIDATA turnstiles
168	937212210	<b>Vario.Gate OEM-Interface Print</b>	Vario.Gate Interface print for OEM-Turnstiles
169	938310012	<b>Vario.Gate/FRMO/PWR240</b>	Power supply with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gates checkpoints depending on their configuration
170	938310002	<b>Vario.Gate/FRMO/PWR240 Housing</b>	Power supply with housing and main on/off-switch, with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gate checkpoints depending on their

			configuration
171	937212400	<b>Vario.Gate Operator Light</b>	3 Colour Operator Light (red, green yellow), 1x Spacer, 1x M12x120mm, 1x Cast Arm
172	937250900	<b>Vario.Gate Spacer Set</b>	4x Spacer, 2x M12x120mm Spacer Sets necessary for Vario.Gate "Operator Light"-Option reduces number of sets by half
173	100304220	<b>Vario.Gate Cast Arm DKZ 350</b>	Extention arm for additional device mounted on Turnstile (DKZx70) (e.g. print@gate)
174	938210032	<b>Vario.Gate/FRMO/ Soundmodule</b>	Sound module for polyphone sounds (WAV files)
175	937202430	<b>Vario.Gate Camera</b>	VGA camera for Vario.Gate, incl. holding and cablings, retrofittable
176	937202900	<b>Vario.Gate cover/V1</b>	Protection Cover for Vario.Gate
177	937210400	<b>RD-CF/OD</b>	Operator display for steward information
178	937202400	<b>Vario.Gate Storage Medium</b>	SKIDATA qualified storage medium for supporting advanced offline functionality (Black-/Whitelist). Mandatory for the Handshake.Logic Offline extension. The storage medium has to be installed into the Vario.Gate.
179	937282000	<b>SP-Vario.Gate Box</b>	Spare part Box for Vario.gate p@h/qvga/v3, content and price customerspecific, contains spare parts for fast help in case of reader troubles
180	937202420	<b>Vario.Gate Upgradekit SD805</b>	Upgrade-Kit Vario.Gate V1 and V2 for Support of NFC und Scripting: sd805 replaces sd705, change of antenna
181	937212410	<b>Vario.Gate Touch-Pad</b>	Handshake.Logic operator Touch-Pad for controlling a checkpoint, operator support and ticket fraud prevention. (At present Touch-Pad can only be installed in combination with Vario.Gate and HSH!) Article includes Touch-Pad, Casing, Mountingadaptor for the operator light and basic software licence (e.g. basic Touch-Pad functions like login, gate control functions, showing whitelist properties (e.g. season pass foto), etc.
182	937250100	<b>Vario.Gate Touch-Pad mounting adaptor cast arm</b>	Mounting adaptor with cast arm for mounting the Touch-Pad on a Skidata turnstile in case no operator light is installed. Includes: cast arm, short mounting pole with cone and mounting screws
183	937250102	<b>Vario.Gate Touch-Pad operator light</b>	3-colour Operator Light (red, yellow, green) prepared for Touch-Pad mounting, post with hole for Touch-Pad cable inlet, 1x spacer, 1x M12x120mm, 1x cast arm. (This article is instead of a regular Vario.Gate Operator Light)
184	937201904	<b>Vario.Gate Touch-Pad Cover</b>	Tearproof protection cover for Vario.Gate PinPad with hook-and-loop fastener (color: gray)
185	937202920	<b>Vario.Gate Customization Front-Colour</b>	Customized colour of reader glass front, single RAL colour. Price and delivery time on request

186	937202922	<b>Vario.Gate Customization Casing-Colour</b>	Customized colour of reader casing, single RAL colour. Price and delivery time on request
187	937202930	<b>Vario.Gate left Skidata-Logo removal</b>	SKIDATA Logo on the left side of the Vario.Gate casing will be removed / per device. Delivery time on request
188	937202932	<b>Vario.Gate SKIDATA Diamond removal</b>	Vario.Gate Option: Removal of SKIDATA Logo on the glass front / per device minimum order 20pcs. Delivery time on request
189	937500000	<b>DKZ x70i</b>	Servo Drive Unit with light sensor for fast and smooth passage
190	935500010	<b>DKZ x70i S3</b>	Turnstile.Gate bar, 3 arms
191	935500012	<b>DKZ x70i S3 V4A</b>	Turnstile.Gate bar, 3 arms - high quality stainless steel (V4A)
192	935500150	<b>DKZ 350 S3/SH</b>	Shock protection cover for arm of Turnstile.Gate, per bar
193	955500030	<b>PO 850</b>	Escape Option for Turnstile.Gate installation width 850mm
194	955500040	<b>PO 950</b>	Escape option for Turnstile.Gate installation width 950mm
195	955500980	<b>PO 850/950 SH</b>	Shock protection cover for escape options installation width 850 or 950, per bar
196	937500840	<b>TS-HSH-01/RELAIS</b>	Relais kit for escape option to release the bars by software
197	938310012	<b>Vario.Gate/FRMO/PWR240</b>	Power supply with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gates checkpoints depending on their configuration
198	938310002	<b>Vario.Gate/FRMO/PWR240 Housing</b>	Power supply with housing and main on/off-switch, with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gate checkpoints depending on their configuration
199	935520010	<b>DKZ 350 ST/INOX</b>	Inox Floor-Stand for Turnstile.Gate
200	935520012	<b>DKZ 350 ST NIRO V4A</b>	Inox Floor-Stand for Turnstile.Gate, high quality stainless steel (V4A)
201	966520020	<b>DKZ x60 P/S</b>	Mounting Pallet for Turnstile.Gate (incl. Pallet-joints)
202	999000382	<b>Pallet DKZ x60 P/S, 10cm longer</b>	Mounting pallet for Turnstile.Gate (incl. Pallet-joints) for panic option 950, like pallet 966520020 but 10cm longer. Galvanized iron and aluminum, for escape mechanism with installation width 950 and 3-arm turnstile



203	966520030	<b>DKZ x60 G/S</b>	Railing for mounting palette of Turnstile.Gate
204	937520010	<b>AS x70 GATE/STFU/N</b>	Railing (Inox stand-foot) mountable on floor, floor-receptacle and palette optional: stand-foot for mounting of Compact.Gate or Vario.Gate without Turnstile.Gate standfoot is lower as ADA standfoot and NOT centered on base plate
205	937520012	<b>AS x70 GATE7STFU/N NIRO V4A</b>	Railing (Inox stand-foot) - high quality stainless steel (V4A) mountable on floor, floor-receptacle and palette optional: stand-foot for mounting of Compact.Gate OR Vario.Gate without Turnstile.Gate standfoot lower than ADA standfoot and NOT centered on base plate
206	937500820	<b>DKZ x70 counting</b>	Bidirectional Counting Option for Turnstile.Gate via Ethernet
207	100304252	<b>DKZ x70i HB</b>	Bracket for Turnstile.Gate
208	955520014	<b>DKZ 550 BEH</b>	Floor receptacle for Turnstile.Gate stand foot, to be installed in raw concrete
209	520300012	<b>BEH-P STD</b>	Cover plate for floor-receptacle Standard version
210	955500902	<b>DKZ 550 FM / PB</b>	Push button for escape option
211	955310000	<b>DKZ 550 FM / FS</b>	Control Device for escape option for up to 10 Turnstile.Gates rackmounted with internal power supply for turnstile escape mechanism
212	937500100	<b>DKZ x70 ADA</b>	Servo Drive Unit with light sensors for Turnstile.Gate ADA special designed for people with disabilities, luggage or stroller/baby buggy <b>Attention:</b> Only to be used with an operator to guarantee save entrance! Setting 'free exit' must not be used ! <b>Not to be used for mass entrance !</b>
213	937500500	<b>DKZ x70 S1/ADA</b>	Metal single bar for Turnstile.Gate ADA
214	937500700	<b>DKZ x70 S1/ADA/SH</b>	Shock protection for Turnstile.Gate ADA single bar
215	937500520	<b>DKZ x70 S1/ADA/FLEX</b>	Flexible single bar for Turnstile.Gate ADA incl. shock protection
216	937520040	<b>DKZ x70 ST/ADA</b>	Inox Floor-Stand for Turnstile.Gate ADA
217	937520060	<b>DKZ x70 R/ADA</b>	Railing ADA (Inox stand-foot) mountable on floor, floor-receptacle and palette Standfoot higher than standard railing and centered on base plate
218	938310012	<b>Vario.Gate/FRMO/PWR240</b>	Power supply with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate

			or 1 to 2 Vario.Gate checkpoints depending on their configuration
219	938310002	<b>Vario.Gate/FRMO/PWR240 Housing</b>	Power supply with housing and main on/off-switch, with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gate checkpoints depending on their configuration
220	955520014	<b>DKZ 550 BEH</b>	Floor receptacle for Turnstile.Gate stand foot to be installed in raw concrete
221	520300012	<b>BEH-P STD</b>	Cover plate for floor-receptacle Standard version
222	937802120	<b>SW-POC/OS/DEI</b>	Operating program reader / firmware
223	937802100	<b>SW-POC/OS/DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface)
224	937202020	<b>Vario.Gate p@h/qvga/V3</b>	Vario.Gate with Shortrange-Modul sd805 und changed antenna; also suitable for support of NFC-datacarrier
225	966800145	<b>LZ HSH SD RFID</b>	Reader Licence for SKIDATA ISO15693 RFID data carriers per reader
226	966800146	<b>LZ HSH 3RD RFID</b>	Reader Licence for SKIDATA ISO15693 and ISO14443 3rd party RFID data carriers per reader
227	966800147	<b>LZ HSH SD RFID UP</b>	Upgrade Licence from SKIDATA ISO15693 RFID to 3rd party RFID per reader
228	955500230	<b>Arena.Gate Double Zinc Coated</b>	Motorized, full height Double-Turnstile, zinc coated steel, including roof cover sheets, mounting material and relay electronic for possible connection for firealarm-system support. (Drum and guiding rake in V2A steal; Aluminium Bridge Cover powder coated in RAL 9006) One drilling stencil free of charge per project included.
229	955500280	<b>Arena.Gate Installation Kit Double</b>	Mandatory installation material for Arena.Gate Double. Includes two pieces each SD 792, USB W3 Cable, Power W4 Cable and Ethernet W6 Cable (partly preinstalled).
230	955500270	<b>Arena.Gate Safebox Double</b>	Lockable security box for two access points (Arena.Gate Double). Includes push buttons and keyswitches for manual release and emergency buttons Supports operator lights and displays.
231	955500274	<b>Arena.Gate Safebox Kit Double</b>	Mandatory installation material for Arena.Gate Safebox Double. Includes two pieces each SD 780, SD789, Display, Operator Light Cable W2 and Interface Cable W5.
232	955500220	<b>Arena.Gate Single Left Zinc Coated</b>	Motorized, full height single turnstile, zinc coated, including roof cover sheets, mounting material and relay electronic for possible connection for firealarm-system support. (Drum and guiding rake in V2A steal, Aluminium Bridge Cover powder coated in RAL 9006). Entrance reader mountable on the LEFT hand side. One drilling stencil free of charge per project included.
233	955500222	<b>Arena.Gate Single Right Zinc Coated</b>	Motorized, full height single turnstile, zinc coated, including roof cover sheets, mounting material and relay electronic for possible connection for firealarm-system support.

			(Drum and guiding rake in V2A steel, Aluminium Bridge Cover powder coated in RAL 9006). Entrance reader mountable on the RIGHT hand side. One drilling stencil free of charge per project included.
234	955500278	<b>Arena.Gate Installation Kit Single</b>	Mandatory installation material for Arena.Gate Single versions. Includes one piece each SD 792, USB W3 Cable, Power W4 Cable and Ethernet W6 Cable (partly preinstalled).
235	955500272	<b>Arena.Gate Safebox Single</b>	Lockable security box for one access point (Arena.Gate Single). Includes push button and keyswitch for manual release and emergency button Supports operator light and display.
236	955500276	<b>Arena.Gate Safebox Kit Single</b>	Mandatory installation material for Arena.Gate Safebox Single. Includes one piece each SD 780, SD789, Display, Operator Light Cable W2 and Interface Cable W5.
237	938310012	<b>Vario.Gate/FRMO/PWR240</b>	Power supply with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gates checkpoints depending on their configuration
238	955500288	<b>Arena.Gate Reader Protection Double</b>	Optional retract mechanism with lockable front for protecting two ticket readers against unauthorized access.
239	955500286	<b>Arena.Gate Reader Protection Single</b>	Optional retract mechanism with lockable front for protecting one ticket reader against unauthorized access.
240	955500800	<b>Arena.Gate Customization Colour</b>	Powder coating in single customerspecific RAL colour (except full height rotor, guiding rake and lockable sliding doors)
241	955500284	<b>Arena.Gate Foundation Kit Double</b>	Foundation kit and mounting material for Arena.Gate Double to mount into raw concrete. At ordering the height of floor construction has to be stated!
242	955500282	<b>Arena.Gate Foundation Kit Single</b>	Foundation kit and mounting material for Arena.Gate Single to mount into raw concrete. At ordering the height of floor construction has to be stated!
243	955500292	<b>Arena.Gate Drilling Stencil Double</b>	Additional drilling stencil for Arena.Gate Double.
244	955500290	<b>Arena.Gate Drilling Stencil Single</b>	Additional drilling stencil for Arena.Gate Single.
245	955500202	<b>Arena.Gate Double V2A</b>	Surcharge for motorized, full height double-drum-turnstile with V2A steel drumstile, guiding rake, stands in V2A steel
246	955500212	<b>Arena.Gate Double V4A</b>	Surcharge for motorized, full height double drum-turnstile in V4A (especially for very rough environmental conditions e.g. sea air) drumstile, guiding rake, stands in V4A steel
247	955500200	<b>Arena.Gate Single V2A</b>	Surcharge for motorized, full height single drum-turnstile with V2A steel drumstile, guiding rake, stands in V2A steel
248	955500210	<b>Arena.Gate Single V4A</b>	Surcharge for motorized, full height single drum-turnstile in V4A (especially for very rough environmental conditions e.g. sea air) drumstile, guiding rake, stands in V4A steel
249	955500294	<b>Arena.Gate Heating</b>	Additional heating and insulation for temperatures down to -30°C for Arena.Gate Double/Single

250	955500899	<b>Arena.Gate Seefright.Packing</b>	Costs für special packing of Arena.Gate for seafreight transportation, price on request (depending on order quantity), please state at 'Project Info' within pricelist
251	937411006	<b>AC-IO/USB-4761</b>	I/O-Device 'USB-4761', 8 In-/Outputs each, incl. USB cable, Power-over-USB
252	937330000	<b>AC-MOBILEREADER</b>	Mobile RFID reader for datacarriers ISO15693, ISO14443, ISO18092. Incl. hand strap and belt clip (max. belt thickness 3,5mm, max. belt height 36mm). Red/yellow/green LEDs, 1 status LED, buzzer, 1-key operation for all functions. 2600mAh Li-Ion-Accu, Bluetooth, USB cable, SAM slot, SKIDATA lanyard. Incl. operating program.
253	937310120	<b>AC-MOBILE READER/POWER</b>	Charging unit (110-240V) for Mobilereader.Gate, suitable for EU, US
254	937330616	<b>AC-MOBILEREADER/BELTBAG</b>	Beltbag from Cordura for Mobilereader.Gate, with clip and space for heel of hand loop
255	966800146	<b>LZ HSH 3RD RFID</b>	Reader Licence for SKIDATA ISO15693 and ISO14443 3rd party RFID data carriers per reader
256	966800153	<b>LZ HSH PRINT@GATE</b>	Handshake.Logic Print@Gate Licence per printer for handheld (Handheld.Gate Print@Gate) Subject to SKIDATA Software conditions
257	937330510	<b>HH-RC/TR</b>	Transmitter Radio Remote Control for use with both receiver options
258	937330500	<b>HH-RC/RE-SER</b>	Receiver Radio Remote Control, for use with minicentral
259	937330520	<b>HH-RC/AN</b>	Antenna for Radio Remote Control, for connection to receiver unit
260	966201060	<b>RD-KEYD/13MHz</b>	Keydetector 13MHz, processes ISO15693 data carriers, incl. keypad, red/green-LED, beep, USB-cable 3m (power-over-USB), I/O-cable 3m, incl. operating program
261	966201064	<b>RD-KEYD/13MHz-WALL-IO-ETH</b>	Wallmount for Keydetector 13MHz, Ethernet-10/100-RJ45-connector (Online only), external 7-28 VDC supply needed, I/O-connector (3-In/2-Out)
262	966800147	<b>LZ HSH SD RFID UP</b>	Upgrade Licence from SKIDATA ISO15693 RFID to 3rd party RFID per reader
263	966803434	<b>HSH APP ID CARD</b>	Set of two application cards to set up the company identification for RFID usage
264	966803436	<b>KeyVal APP ID CARD</b>	Set of two application cards to use Key/Value points with SKIDATA readers and coders
265	966803438	<b>HSH MAN REL CARD</b>	Set of 5 control cards to release the gate manual

266	966803440	<b>HSH FREE PASS CARD</b>	Set of 5 control cards to set the gate into free passage mode
267	966803442	<b>HSH TICK CONT CARD</b>	Set of 5 control cards to set the gate into ticket control mode
268	966803444	<b>HSH BLOCK MODE CARD</b>	Set of 5 control cards to set the gate into blocked mode
269	966803446	<b>HSH PERM OPEN CARD</b>	Set of 5 control cards to set the gate into permanent open mode
270	966803448	<b>HSH CHANGE DIR CARD</b>	Set of 5 control cards to change the direction of the gate. From entrance gate to exit gate and revers

2. Место испоруке је ски центар Копаник. Испорука резервних делова се врши сукцесивно, на позив наручиоца.
3. Уговор се закључује до утрошка расположивих финансијских средстава наручиоца.
4. Гарантни рок мора бити у складу са гарантним роком произвођача оригиналних резервних делова.
5. Сви резервни делови морају бити нови и неупотребљавани, технички исправни.

## ***IV ТЕХНИЧКА ДОКУМЕНТАЦИЈА И ПЛАНОВИ***

Техничка документација и планови нису елемент предмета ове јавне набавке.

## V УСЛОВИ ЗА УЧЕШЋЕ У ПОСТУПКУ ЈАВНЕ НАБАВКЕ ИЗ ЧЛ. 75. И 76. ЗАКОНА И УПУТСТВО КАКО СЕ ДОКАЗУЈЕ ИСПУЊЕНОСТ ТИХ УСЛОВА

### 1. УСЛОВИ ЗА УЧЕШЋЕ У ПОСТУПКУ ЈАВНЕ НАБАВКЕ ИЗ ЧЛ. 75. И 76. ЗАКОНА

- 1.1. Право на учешће у поступку предметне јавне набавке има понуђач који испуњава **обавезне услове** за учешће у поступку јавне набавке дефинисане чл. 75. Закона, и то:
- 1) Да је регистрован код надлежног органа, односно уписан у одговарајући регистар (чл. 75. ст. 1. тач. 1) Закона);
  - 2) Да он и његов законски заступник није осуђиван за неко од кривичних дела као члан организоване криминалне групе, да није осуђиван за кривична дела против привреде, кривична дела против животне средине, кривично дело примања или давања мита, кривично дело преваре (чл. 75. ст. 1. тач. 2) Закона);
  - 3) Да му није изречена мера забране обављања делатности, која је на снази у време објављивања позива за подношење понуде (чл. 75. ст. 1. тач. 3) Закона);
  - 4) Да је измирио доспеле порезе, доприносе и друге јавне дажбине у складу са прописима Републике Србије или стране државе када има седиште на њеној територији (чл. 75. ст. 1. тач. 4) Закона);
  - 5) Понуђач је дужан да при састављању понуде изричито наведе да је поштовао обавезе које произлазе из важећих прописа о заштити на раду, запошљавању и условима рада, заштити животне средине, као и да гарантује да је ималац права интелектуалне својине (чл. 75. ст. 2. Закона).
- 1.2. Уколико понуђач подноси понуду са подизвођачем, у складу са чланом 80. Закона, подизвођач мора да испуњава обавезне услове из члана 75. став 1. тач. 1) до 4) Закона.
- 1.3. Уколико понуду подноси група понуђача, сваки понуђач из групе понуђача, мора да испуни обавезне услове из члана 75. став 1. тач. 1) до 4) Закона.

## 2. УПУТСТВО КАКО СЕ ДОКАЗУЈЕ ИСПУЊЕНОСТ УСЛОВА

Испуњеност **обавезних услова** за учешће у поступку предметне јавне набавке, понуђач доказује достављањем следећих доказа:

- 1) Услов из чл. 75. ст. 1. тач. 1) Закона - **Доказ:** Извод из регистра Агенције за привредне регистре, односно извод из регистра надлежног Привредног суда:
- 2) Услов из чл. 75. ст. 1. тач. 2) Закона - **Доказ:** Правна лица: 1) Извод из казнене евиденције, односно уверење основног суда на чијем подручју се налази седиште домаћег правног лица, односно седиште представништва или огранка страног правног лица, којим се потврђује да правно лице није осуђивано за кривична дела против привреде, кривична дела против животне средине, кривично дело примања или давања мита, кривично дело преваре; 2) Извод из казнене евиденције Посебног одељења за организовани криминал Вишег суда у Београду, којим се потврђује да правно лице није осуђивано за неко од кривичних дела организованог криминала; 3) Извод из казнене евиденције, односно уверење надлежне полицијске управе МУП-а, којим се потврђује да законски заступник понуђача није осуђиван за кривична дела против привреде, кривична дела против животне средине, кривично дело примања или давања мита, кривично дело преваре и неко од кривичних дела организованог криминала (захтев се може поднети према месту рођења или према месту пребивалишта законског заступника). Уколико понуђач има више законских заступника дужан је да достави доказ за сваког од њих. Предузетници и физичка лица: Извод из казнене евиденције, односно уверење надлежне полицијске управе МУП-а, којим се потврђује да није осуђиван за неко од кривичних дела као члан организоване криминалне групе, да није осуђиван за кривична дела против привреде, кривична дела против животне средине, кривично дело примања или давања мита, кривично дело преваре (захтев се може поднети према месту рођења или према месту пребивалишта).  
**Доказ не може бити старији од два месеца пре отварања понуда;**
- 3) Услов из чл. 75. ст. 1. тач. 3) Закона - **Доказ:** Правна лица: Потврда привредног и прекршајног суда да му није изречена мера забране обављања делатности, или потврда Агенције за привредне регистре да код тог органа није регистровано, да му је као привредном друштву изречена мера забране обављања делатности, која је на снази у време објаве позива за подношење понуда; Предузетници: Потврда прекршајног суда да му није изречена мера забране обављања делатности, или потврда Агенције за привредне регистре да код тог органа није регистровано, да му је као привредном субјекту изречена мера забране обављања делатности, која је на снази у време објаве позива за подношење понуда Физичка лица: Потврда прекршајног суда да му није изречена мера забране обављања одређених послова.  
**Доказ мора бити издат након слања позива за подношење понуда;**



4) Услов из чл. 75. ст. 1. тач. 4) Закона - **Доказ:** Уверење Пореске управе Министарства финансија и привреде да је измирио доспеле порезе и доприносе и уверење надлежне управе локалне самоуправе да је измирио обавезе по основу изворних локалних јавних прихода или потврду Агенције за приватизацију да се понуђач налази у поступку приватизације.

**Доказ не може бити старији од два месеца пре отварања понуда;**

5) Услов из члана чл. 75. ст. 2. - **Доказ:** Потписан о оверен Образац изјаве (Образац изјаве, дат је у поглављу XII). Изјава мора да буде потписана од стране овлашћеног лица понуђача и оверена печатом. **Уколико понуду подноси група понуђача,** Изјава мора бити потписана од стране овлашћеног лица сваког понуђача из групе понуђача и оверена печатом.

Уколико понуду подноси група понуђача понуђач је дужан да за сваког члана групе достави наведене доказе да испуњава услове из члана 75. став 1. тач. 1) до 4).

Уколико понуђач подноси понуду са подизвођачем, понуђач је дужан да за подизвођача достави доказе да испуњава услове из члана 75. став 1. тач. 1) до 4) Закона.

Наведене доказе о испуњености услова понуђач може доставити у виду неоверених копија, а наручилац може пре доношења одлуке о додели уговора да тражи од понуђача, чија је понуда на основу извештаја за јавну набавку оцењена као најповољнија, да достави на увид оригинал или оверену копију свих или појединих доказа.

Ако понуђач у остављеном, примереном року који не може бити краћи од пет дана, не достави на увид оригинал или оверену копију тражених доказа, наручилац ће његову понуду одбити као неприхватљиву.

**Понуђачи који су регистровани у регистру понуђача који води Агенција за привредне регистре и који је јавно доступан на интернет страници АПР, нису дужни да приликом подношења понуде доказују испуњеност обавезних услова, у складу са чланом 78. Закона о јавним набавкама.**

**Наручилац неће одбити понуду као неприхватљиву, уколико не садржи доказ одређен конкурсном документацијом, ако понуђач наведе у понуди интернет страницу на којој су подаци који су тражени у оквиру услова јавно доступни.**

Уколико је доказ о испуњености услова електронски документ, понуђач доставља копију електронског документа у писаном облику, у складу са законом којим се уређује електронски документ, осим уколико подноси електронску понуду када се доказ доставља у изворном електронском облику.

Ако се у држави у којој понуђач има седиште не издају тражени докази, понуђач може, уместо доказа, приложити своју писану изјаву, дату под кривичном и материјалном одговорношћу оверену пред судским или управним органом, јавним бележником или другим надлежним органом те државе.

Ако понуђач има седиште у другој држави, наручилац може да провери да ли су документи којима понуђач доказује испуњеност тражених услова издати од стране надлежних органа те државе.

Понуђач је дужан да без одлагања писмено обавести наручиоца о било којој промени у вези са испуњеношћу услова из поступка јавне набавке, која наступи до доношења одлуке, односно закључења уговора, односно током важења уговора о јавној набавци и да је документује на прописани начин.

## **VI ЕЛЕМЕНТИ УГОВОРА О КОЈИМА ЋЕ СЕ ПРЕГОВАРАТИ И НАЧИН ПРЕГОВАРАЊА**

Предмет преговарања је укупна понуђена цена. Поступку преговарања ће се приступити непосредно након отварања понуда са понуђачима који су доставили понуду. Преговарање ће се вршити у више корака, све док понуђачи који учествују у поступку преговарања не дају своју коначну цену.

Више о начину преговарања у оквиру тачке 17. Упутства понуђачима како да сачине понуду.

## **VII УПУТСТВО ПОНУЂАЧИМА КАКО ДА САЧИНЕ ПОНУДУ**

### **1. ПОДАЦИ О ЈЕЗИКУ НА КОЈЕМ ПОНУДА МОРА ДА БУДЕ САСТАВЉЕНА**

Понуђач подноси понуду на српском језику.

### **2. НАЧИН НА КОЈИ ПОНУДА МОРА ДА БУДЕ САЧИЊЕНА**

Понуђач понуду подноси непосредно или путем поште у затвореној коверти или кутији, затворену на начин да се приликом отварања понуда може са сигурношћу утврдити да се први пут отвара.

На полеђини коверте или на кутији навести назив и адресу понуђача.

У случају да понуду подноси група понуђача, на коверти је потребно назначити да се ради о групи понуђача и навести називе и адресу свих учесника у заједничкој понуди.

Понуду доставити на адресу: ЈП Скијалишта Србије, Милутина Миланковића 9, 11070 Нови Београд, са назнаком: „**Понуда за јавну набавку ЈН бр. 55/14- НЕ ОТВАРАТИ**”.

**Понуда се сматра благовременом уколико је примљена од стране наручиоца до 17.09.2014. године до 10 часова.**

**Отварање понуде и преговарање се спроводи истог дана, 17.09.2014. године у 10 часова и 30 минута.**

Наручилац ће, по пријему одређене понуде, на коверти, односно кутији у којој се понуда налази, обележити време пријема и евидентирати број и датум понуде према редоследу приспећа. Уколико је понуда достављена непосредно наручилац ће понуђачу предати потврду пријема понуде. У потврди о пријему наручилац ће навести датум и сат пријема понуде.

Понуда коју наручилац није примио у року одређеном за подношење понуда, односно која је примљена по истеку дана и сата до којег се могу понуде подносити, сматраће се неблаговременом.

Понуда мора да садржи:

- Попуњен, печатом оверен и потписан Образац понуде
- Попуњен, печатом оверен и потписан образац – Подаци о подизвођачу, уколико понуђач делимично извршење набавке поверава подизвођачу
- Попуњен, печатом оверен и потписан образац – Подаци о понуђачу који је учесник у заједничкој понуди, уколико понуду подноси група понуђача
- Докази о испуњености услова из члана 77. ЗЈН,
- Попуњен, оверен печатом и потписан Образац структуре цене
- Попуњен, оверен печатом и потписан модел уговора;
- Попуњен, оверен печатом и потписан Образац изјаве о независној понуди.
- Попуњен, оверен печатом и потписан Образац изјаве о поштовању обавеза

- У случају заједничке понуде и понуде са подизвођачем, све у складу како је предвиђено конкурсном документацијом.

### **3. ПАРТИЈЕ**

Предмет јавне набавке није обликован по партијама.

### **4. ПОНУДА СА ВАРИЈАНТАМА**

Подношење понуде са варијантама није дозвољено.

### **5. НАЧИН ИЗМЕНЕ, ДОПУНЕ И ОПОЗИВА ПОНУДЕ**

У року за подношење понуде понуђач може да измени, допуни или опозове своју понуду на начин који је одређен за подношење понуде.

Понуђач је дужан да јасно назначи који део понуде мења односно која документа накнадно доставља.

Измену, допуну или опозив понуде треба доставити на адресу ЈП Скијалишта Србије, Милутина Миланковића 9, Нови Београд, са назнаком:

„Измена понуде за јавну набавку - ЈН бр. 55/14 - НЕ ОТВАРАТИ” или

„Допуна понуде за јавну набавку - ЈН бр. 55/14 - НЕ ОТВАРАТИ” или

„Опозив понуде за јавну набавку - ЈН бр. 55/14 - НЕ ОТВАРАТИ” или

„Измена и допуна понуде за јавну набавку - ЈН бр. 55/14 - НЕ ОТВАРАТИ”.

На полеђини коверте или на кутији навести назив и адресу понуђача. У случају да понуду подноси група понуђача, на коверти је потребно назначити да се ради о групи понуђача и навести називе и адресу свих учесника у заједничкој понуди.

По истеку рока за подношење понуда понуђач не може да повуче нити да мења своју понуду.

### **6. УЧЕСТВОВАЊЕ У ЗАЈЕДНИЧКОЈ ПОНУДИ ИЛИ КАО ПОДИЗВОЂАЧ**

Понуђач може да поднесе само једну понуду.

Понуђач који је самостално поднео понуду не може истовремено да учествује у заједничкој понуди или као подизвођач, нити исто лице може учествовати у више заједничких понуда.

У Обрасцу понуде (поглавље VIII), понуђач наводи на који начин подноси понуду, односно да ли подноси понуду самостално, или као заједничку понуду, или подноси понуду са подизвођачем.

### **7. ПОНУДА СА ПОДИЗВОЂАЧЕМ**

Уколико понуђач подноси понуду са подизвођачем дужан је да у Обрасцу понуде (поглавље VIII) наведе да понуду подноси са подизвођачем, проценат укупне вредности набавке који ће поверити подизвођачу, а који не може бити већи од 50%, као и део предмета набавке који ће извршити преко подизвођача. Понуђач у Обрасцу понуде наводи назив и седиште подизвођача, уколико ће делимично извршење набавке поверити подизвођачу.

Уколико уговор о јавној набавци буде закључен између наручиоца и понуђача који подноси понуду са подизвођачем, тај подизвођач ће бити наведен и у уговору о јавној набавци.

Понуђач је дужан да за подизвођаче достави доказе о испуњености услова који су наведени у поглављу V конкурсне документације, у складу са Упутством како се доказује испуњеност услова.

Понуђач у потпуности одговара наручиоцу за извршење обавеза из поступка јавне набавке, односно извршење уговорних обавеза, без обзира на број подизвођача.

Понуђач је дужан да наручиоцу, на његов захтев, омогући приступ код подизвођача, ради утврђивања испуњености тражених услова.

## **8. ЗАЈЕДНИЧКА ПОНУДА**

Понуду може поднети група понуђача.

Уколико понуду подноси група понуђача, саставни део заједничке понуде мора бити споразум којим се понуђачи из групе међусобно и према наручиоцу обавезују на извршење јавне набавке, а који обавезно садржи податке из члана 81. ст. 4. тач. 1) до 6) Закона и то податке о:

- члану групе који ће бити носилац посла, односно који ће поднети понуду и који ће заступати групу понуђача пред наручиоцем,
- понуђачу који ће у име групе понуђача потписати уговор,
- понуђачу који ће у име групе понуђача дати средство обезбеђења,
- понуђачу који ће издати рачун,
- рачуну на који ће бити извршено плаћање,
- обавезама сваког од понуђача из групе понуђача за извршење уговора.

Група понуђача је дужна да достави све доказе о испуњености услова који су наведени у поглављу V конкурсне документације, у складу са Упутством како се доказује испуњеност услова.

Понуђачи из групе понуђача одговарају неограничено солидарно према наручиоцу.

Задруга може поднети понуду самостално, у своје име, а за рачун задругара или заједничку понуду у име задругара.

Ако задруга подноси понуду у своје име за обавезе из поступка јавне набавке и уговора о јавној набавци одговара задруга и задругари у складу са законом.

Ако задруга подноси заједничку понуду у име задругара за обавезе из поступка јавне набавке и уговора о јавној набавци неограничено солидарно одговарају задругари.

## **9. НАЧИН И УСЛОВИ ПЛАЋАЊА, ГАРАНТНИ РОК, КАО И ДРУГЕ ОКОЛНОСТИ ОД КОЈИХ ЗАВИСИ ПРИХВАТЉИВОСТ ПОНУДЕ**

### **9.1. Захтеви у погледу начина, рока и услова плаћања.**

Рок плаћања је 15 дана од дана испоруке резервних делова ,на основу документа који испоставља понуђач којим се потврђује да су добра испоручена.

Плаћање се врши уплатом на рачун понуђача, у динарима.

Плаћање се врши након сваке појединачне испоруке резервних делова који су предмет уговора, у складу са спецификацијом испоручених добара и јединичним ценама из понуде, односно уговора.

#### **9.2. Захтеви у погледу гарантног рока**

Гаранција за оригиналне резервне делове подразумева гаранцију коју даје произвођач.

#### **9.3. Захтев у погледу рока и места испоруке добара**

Рок испоруке резервних делова понуђач треба да наведе у обрасцу понуде. Место испоруке ски центар Копаоник.

#### **9.4. Захтев у погледу рока важења понуде**

Рок важења понуде не може бити краћи од 30 дана од дана отварања понуда. У случају истека рока важења понуде, наручилац је дужан да у писаном облику затражи од понуђача продужење рока важења понуде. Понуђач који прихвати захтев за продужење рока важења понуде на може мењати понуду.

### ***10. ВАЛУТА И НАЧИН НА КОЈИ МОРА ДА БУДЕ НАВЕДЕНА И ИЗРАЖЕНА ЦЕНА У ПОНУДИ***

Цена мора бити исказана у динарима. Наручилац дозвољава понуђачу да цену у понуди исказе у еурима (за прерачун у динаре ће се користити одговарајући средњи девизни курс НБС на дан када је започето отварање понуда) , са и без пореза на додату вредност, са урачунатим свим трошковима које понуђач има у реализацији предметне јавне набавке, с тим да ће се за оцену понуде узимати у обзир цена без пореза на додату вредност.

У цену су урачунати сви трошкови које понуђач има у реализацији предмета јавне набавке.

Цена је фиксна и не може се мењати.

Ако је у понуди исказана неуобичајено ниска цена, наручилац ће поступити у складу са чланом 92. Закона.

Ако понуђена цена укључује увозну царину и друге дажбине, понуђач је дужан да тај део одвојено исказе у динарима.

### ***11. ПОДАЦИ О ДРЖАВНОМ ОРГАНУ ИЛИ ОРГАНИЗАЦИЈИ, ОДНОСНО ОРГАНУ ИЛИ СЛУЖБИ ТЕРИТОРИЈАЛНЕ АУТОНОМИЈЕ ИЛИ ЛОКАЛНЕ САМОУПРАВЕ ГДЕ СЕ МОГУ БЛАГОВРЕМЕНО ДОБИТИ ИСПРАВНИ ПОДАЦИ О ПОРЕСКИМ ОБАВЕЗАМА, ЗАШТИТИ ЖИВОТНЕ СРЕДИНЕ, ЗАШТИТИ ПРИ ЗАПОШЉАВАЊУ, УСЛОВИМА РАДА И СЛ., А КОЈИ СУ ВЕЗАНИ ЗА ИЗВРШЕЊЕ УГОВОРА О ЈАВНОЈ НАБАВЦИ***

Подаци о пореским обавезама се могу добити у Пореској управи, Министарства финансија и привреде.

Подаци о заштити животне средине се могу добити у Агенцији за заштиту животне средине и у Министарству енергетике, развоја и заштите животне средине.

Подаци о заштити при запошљавању и условима рада се могу добити у Министарству рада, запошљавања и социјалне политике.

## **12. ПОДАЦИ О ВРСТИ, САДРЖИНИ, НАЧИНУ ПОДНОШЕЊА, ВИСИНИ И РОКОВИМА ОБЕЗБЕЂЕЊА ИСПУЊЕЊА ОБАВЕЗА ПОНУЂАЧА**

Не траже се.

## **13. ЗАШТИТА ПОВЕРЉИВОСТИ ПОДАТАКА КОЈЕ НАРУЧИЛАЦ СТАВЉА ПОНУЂАЧИМА НА РАСПОЛАГАЊЕ, УКЉУЧУЈУЋИ И ЊИХОВЕ ПОДИЗВОЂАЧЕ**

Предметна набавка не садржи поверљиве информације које наручилац ставља на располагање.

## **14. ДОДАТНЕ ИНФОРМАЦИЈЕ ИЛИ ПОЈАШЊЕЊА У ВЕЗИ СА ПРИПРЕМАЊЕМ ПОНУДЕ**

Заинтересовано лице може, у писаном облику, путем поште на адресу наручиоца или путем електронске поште на мејл [zarko.braunovic@skijalistasrbije.rs](mailto:zarko.braunovic@skijalistasrbije.rs) тражити од наручиоца додатне информације или појашњења у вези са припремањем понуде, најкасније 5 дана пре истека рока за подношење понуде.

Наручилац ће заинтересованом лицу у року од 3 (три) дана од дана пријема захтева за додатним информацијама или појашњењима конкурсне документације, одговор доставити у писаном облику и истовремено ће ту информацију објавити на Порталу јавних набавки и на својој интернет страници.

Додатне информације или појашњења упућују се са напоменом „Захтев за додатним информацијама или појашњењима конкурсне документације, **ЈН бр. 55/14**”.

Ако наручилац измени или допуни конкурсну документацију 8 или мање дана пре истека рока за подношење понуда, дужан је да продужи рок за подношење понуда и објави обавештење о продужењу рока за подношење понуда.

По истеку рока предвиђеног за подношење понуда наручилац не може да мења нити да допуњује конкурсну документацију.

Тражење додатних информација или појашњења у вези са припремањем понуде телефоном није дозвољено.

Комуникација у поступку јавне набавке врши се искључиво на начин одређен чланом 20. Закона.

## **15. ДОДАТНА ОБЈАШЊЕЊА ОД ПОНУЂАЧА ПОСЛЕ ОТВАРАЊА ПОНУДА И КОНТРОЛА КОД ПОНУЂАЧА ОДНОСНО ЊЕГОВОГ ПОДИЗВОЂАЧА**

После отварања понуда наручилац може приликом стручне оцене понуда да у писаном облику захтева од понуђача додатна објашњења која ће му помоћи при прегледу, вредновању и упоређивању понуда, а може да врши контролу (увид) код понуђача, односно његовог подизвођача (члан 93. Закона).



Уколико наручилац оцени да су потребна додатна објашњења или је потребно извршити контролу (увид) код понуђача, односно његовог подизвођача, наручилац ће понуђачу оставити примерени рок да поступи по позиву наручиоца, односно да омогући наручиоцу контролу (увид) код понуђача, као и код његовог подизвођача.

Наручилац може уз сагласност понуђача да изврши исправке рачунских грешака уочених приликом разматрања понуде по окончаном поступку отварања.

У случају разлике између јединичне и укупне цене, меродавна је јединична цена.

Ако се понуђач не сагласи са исправком рачунских грешака, наручилац ће његову понуду одбити као неприхватљиву.

## **16. ДОДАТНО ОБЕЗБЕЂЕЊЕ ИСПУЊЕЊА УГОВОРНИХ ОБАВЕЗА ПОНУЂАЧА КОЈИ СЕ НАЛАЗЕ НА СПИСКУ НЕГАТИВНИХ РЕФЕРЕНЦИ**

Понуђач који се налази на списку негативних референци који води Управа за јавне набавке, у складу са чланом 83. Закона, а који има негативну референцу за предмет набавке који није истоврстан предмету ове јавне набавке, а уколико таквом понуђачу буде додељен уговор, дужан је да у тренутку закључења уговора преда наручиоцу банкарску гаранцију за добро извршење посла, која ће бити са клаузулама: безусловна и платива на први позив. Банкарска гаранција за добро извршење посла издаје се у висини од 15%, од укупне вредности уговора без ПДВ-а, са роком важности који је 30 (тридесет) дана дужи од истека рока за коначно извршење посла. Ако се за време трајања уговора промене рокови за извршење уговорне обавезе, важност банкарске гаранције за добро извршење посла мора да се продужи.

## **17. ЕЛЕМЕНТИ УГОВОРА О КОЈИМА ЋЕ СЕ ПРЕГОВАРАТИ И НАЧИН ПРЕГОВАРАЊА**

Предмет преговарања је укупна понуђена цена.

Поступку преговања ће се приступити непосредно након отварања понуда, са свим понуђачима који су доставили понуду.

Преговарање ће се вршити у више корака, све док понуђачи који учествују у поступку преговарања не дају своју коначну цену.

Представник понуђача који је поднео понуду, пре почетка поступка, мора предати комисији посебно писано овлашћење за присуство у поступку отварања понуда и овлашћење за преговарање, оверено и потписано од стране законског заступника понуђача.

Ако овлашћени представник понуђача не присуствује преговарачком поступку сматраће се његовом коначном ценом она цена која је наведена у достављеној понуди.

У поступку преговарања не може се понудити виша цена од цене исказане у достављеној понуди.

Наручилац је дужан да у преговарачком поступку обезбеди да уговорена цена не буде већа од упоредиве тржишне цене и да са дужном пажњом проверава квалитет предмета набавке.

Наручилац је дужан да води записник о преговарању.

## **18. ВРСТА КРИТЕРИЈУМА ЗА ДОДЕЛУ УГОВОРА, ЕЛЕМЕНТИ КРИТЕРИЈУМА НА ОСНОВУ КОЈИХ СЕ ДОДЕЉУЈЕ УГОВОР И МЕТОДОЛОГИЈА ЗА ДОДЕЛУ ПОНДЕРА ЗА СВАКИ ЕЛЕМЕНТ КРИТЕРИЈУМА**

Избор најповољније понуде ће се извршити применом критеријума „Најнижа понуђена цена“.

## **19. ЕЛЕМЕНТИ КРИТЕРИЈУМА НА ОСНОВУ КОЈИХ ЋЕ НАРУЧИЛАЦ ИЗВРШИТИ ДОДЕЛУ УГОВОРА У СИТУАЦИЈИ КАДА ПОСТОЈЕ ДВЕ ИЛИ ВИШЕ ПОНУДА СА ЈЕДНАКИМ БРОЈЕМ ПОНДЕРА ИЛИ ИСТОМ ПОНУЂЕНОМ ЦЕНОМ**

Уколико две или више понуда имају исту најнижу понуђену цену, као најповољнија биће изабрана понуда оног понуђача који је у поступку преговарања више снизио понуђену цену.

## **20. ПОШТОВАЊЕ ОБАВЕЗА КОЈЕ ПРОИЗИЛАЗЕ ИЗ ВАЖЕЋИХ ПРОПИСА**

Понуђач је дужан да у оквиру своје понуде достави изјаву дату под кривичном и материјалном одговорношћу да је поштовао све обавезе које произилазе из важећих прописа о заштити на раду, запошљавању и условима рада, заштити животне средине, као и да гарантује да је ималац права интелектуалне својине. (Образац изјаве, дат је у поглављу XII конкурсне документације).

## **21. КОРИШЋЕЊЕ ПАТЕНТА И ОДГОВОРНОСТ ЗА ПОВРЕДУ ЗАШТИЋЕНИХ ПРАВА ИНТЕЛЕКТУАЛНЕ СВОЈИНЕ ТРЕЋИХ ЛИЦА**

Накнаду за коришћење патената, као и одговорност за повреду заштићених права интелектуалне својине трећих лица сноси понуђач.

## **22. НАЧИН И РОК ЗА ПОДНОШЕЊЕ ЗАХТЕВА ЗА ЗАШТИТУ ПРАВА ПОНУЂАЧА**

Захтев за заштиту права може да поднесе понуђач, односно свако заинтересовано лице, или пословно удружење у њихово име.

Захтев за заштиту права подноси се Републичкој комисији, а предаје наручиоцу. Примерак захтева за заштиту права подносилац истовремено доставља Републичкој комисији. Захтев за заштиту права се доставља непосредно, електронском поштом на е-mail [direkcija@skijalistarsrbije.rs](mailto:direkcija@skijalistarsrbije.rs), или препорученом пошиљком са повратницом. Захтев за заштиту права се може поднети у току целог поступка јавне набавке, против сваке радње наручиоца, осим уколико Законом није другачије одређено. О поднетом захтеву за заштиту права наручилац обавештава све учеснике у поступку јавне набавке, односно објављује обавештење о поднетом захтеву на Порталу јавних набавки, најкасније у року од 2 дана од дана пријема захтева.

Уколико се захтевом за заштиту права оспорава врста поступка, садржина позива за подношење понуда или конкурсне документације, захтев ће се сматрати благовременим уколико је примљен од стране наручиоца најкасније 7 дана пре истека рока за подношење понуда, без обзира на начин достављања. Ова одредба се не примењује ако подносилац захтева или са њим повезано лице није учествовало у поступку.

У случају подношења захтева за заштиту права којим се оспорава врста поступка, садржина позива за подношење понуда или конкурсне документације долази до застоја рока за подношење понуда.

Захтев за заштиту права задржава даље активности наручиоца у поступку јавне набавке, до доношења одлуке о поднетом захтеву за заштиту права *[осим у случају преговарачког поступка из члана 36. став 1. тачка 3) Закона]*.

После доношења одлуке о додели уговора из чл. 108. Закона или одлуке о обустави поступка јавне набавке из чл. 109. Закона, рок за подношење захтева за заштиту права је 10 дана од дана пријема одлуке за учеснике поступка, односно 10 дана од дана објављивања одлуке о додели уговора на Порталу јавних набавки за подносиоце који нису учествовали у преговарачком поступку.

Захтевом за заштиту права не могу се оспоравати радње наручиоца предузете у поступку јавне набавке ако су подносиоцу захтева били или могли бити познати разлози за његово подношење пре истека рока за подношење понуда, а подносилац захтева га није поднео пре истека тог рока.

Ако је у истом поступку јавне набавке поново поднет захтев за заштиту права од стране истог подносиоца захтева, у том захтеву се не могу оспоравати радње наручиоца за које је подносилац захтева знао или могао знати приликом подношења претходног захтева.

Подносилац захтева је дужан да на рачун буџета Републике Србије уплати таксу од 40.000,00 динара (број жиро рачуна: 840-742221843-57, позив на број 50-016, сврха: Републичка административна такса са назнаком набавке на коју се односи, корисник: Буџет Републике Србије).

Поступак заштите права понуђача регулисан је одредбама чл. 138. - 167. Закона.

### **23. РОК У КОЈЕМ ЋЕ УГОВОР БИТИ ЗАКЉУЧЕН**

Уговор о јавној набавци ће бити закључен са понуђачем којем је додељен уговор у року од 8 дана од дана протеча рока за подношење захтева за заштиту права из члана 149. Закона.

## VIII ОБРАЗАЦ ПОНУДЕ

Понуда бр \_\_\_\_\_ од \_\_\_\_\_ за јавну набавку оригиналних резервних делова за систем SkiData, ЈН број 55/14

### 1) ОПШТИ ПОДАЦИ О ПОНУЂАЧУ

Назив понуђача:	
Адреса понуђача:	
Матични број понуђача:	
Порески идентификациони број понуђача (ПИБ):	
Име особе за контакт:	
Електронска адреса понуђача (e-mail):	
Телефон:	
Телефакс:	
Број рачуна понуђача и назив банке:	
Лице овлашћено за потписивање уговора	

### 2) ПОНУДУ ПОДНОСИ:

<b>А) САМОСТАЛНО</b>
<b>Б) СА ПОДИЗВОЂАЧЕМ</b>
<b>В) КАО ЗАЈЕДНИЧКУ ПОНУДУ</b>

**Напомена:** заокружити начин подношења понуде и уписати податке о подизвођачу, уколико се понуда подноси са подизвођачем, односно податке о свим учесницима заједничке понуде, уколико понуду подноси група понуђача

### 3) ПОДАЦИ О ПОДИЗВОЂАЧУ

1)	Назив подизвођача:	
	Адреса:	
	Матични број:	
	Порески идентификациони број:	
	Име особе за контакт:	
	Процент укупне вредности набавке који ће извршити подизвођач:	
	Део предмета набавке који ће извршити подизвођач:	
2)	Назив подизвођача:	
	Адреса:	
	Матични број:	
	Порески идентификациони број:	
	Име особе за контакт:	
	Процент укупне вредности набавке који ће извршити подизвођач:	
	Део предмета набавке који ће извршити подизвођач:	

**Напомена:**

Табелу „Подаци о подизвођачу“ попуњавају само они понуђачи који подносе понуду са подизвођачем, а уколико има већи број подизвођача од места предвиђених у табели, потребно је да се наведени образац копира у довољном броју примерака, да се попуни и достави за сваког подизвођача.

#### 4) ПОДАЦИ О УЧЕСНИКУ У ЗАЈЕДНИЧКОЈ ПОНУДИ

1)	Назив учесника у заједничкој понуди:	
	Адреса:	
	Матични број:	
	Порески идентификациони број:	
	Име особе за контакт:	
2)	Назив учесника у заједничкој понуди:	
	Адреса:	
	Матични број:	
	Порески идентификациони број:	
	Име особе за контакт:	
3)	Назив учесника у заједничкој понуди:	
	Адреса:	
	Матични број:	
	Порески идентификациони број:	
	Име особе за контакт:	

**Напомена:**

Табелу „Подаци о учеснику у заједничкој понуди“ попуњавају само они понуђачи који подносе заједничку понуду, а уколико има већи број учесника у заједничкој понуди од места предвиђених у табели, потребно је да се наведени образац копира у довољном броју примерака, да се попуни и достави за сваког понуђача који је учесник у заједничкој понуди.

**5) ОПИС ПРЕДМЕТА НАБАВКЕ – ОРИГИНАЛНИ РЕЗЕРВНИ ДЕЛОВИ ЗА СИСТЕМ SKIDATA, ЈН 55/14**

Збир свих јединичних цена из обрасца структуре цене (динари или еури без пдв.а)	
Рок и начин плаћања	у року од 15 дана од дана када је Купац примио исправан рачун за сваку појединачну испоруку, а на основу документа о извршеној испоруци добара.
Рок важења понуде	_____ дана (минимум 30) од дана отварања понуде
Рок испоруке	_____ дана од дана позива наручиоца.
Гарантни рок	Гарантни рок произвођача оригиналних резервних делова, који износи _____ месеци од дана испоруке.
Место испоруке	Ски центар Копаоник

Датум

М. П.

Понуђач

**Напомене:**

*Образац понуде понуђач мора да попуни, овери печатом и потпише, чиме потврђује да су тачни подаци који су у обрасцу понуде наведени. Уколико понуђачи подносе заједничку понуду, група понуђача може да се определи да образац понуде потписују и печатом оверавају сви понуђачи из групе понуђача или група понуђача може да одреди једног понуђача из групе који ће попунити, потписати и печатом оверити образац понуде.*

## IX ОБРАЗАЦ СТРУКТУРЕ ЦЕНЕ СА УПУТСТВОМ КАКО ДА СЕ ПОПУНИ

Red.br	Kataloški broj	Naziv	Opis	Merna jedinica	Cena bez PDV	Cena sa PDV
1	937800020	<b>SW-CO/OS</b>	Operating program/firmware coder			
2	938100802	<b>CODER UNLIMITED DESK 1S/13MHz</b>	Desktop Coder Unlimited 13MHz with single stacker, incl. power-supply (110V/220V) and ticket collection box			
3	938100812	<b>CODER UNLIMITED DESK 3S/13MHz</b>	Desktop Coder Unlimited 13MHz with triple stacker, incl. power-supply (110V/220V) and ticket collection box			
4	946010510	<b>CO UNLIMITED BC C</b>	Crosswise barcode reader for Coder Basic/Unlimited			
5	CPZ4410	<b>Cleaning Kit Coder</b>	Cleaning set Coders. For Coder Unlimited/Basic/Light, Coders x70, monitor, keyboard			
6	938080100	<b>SP-CO/UNLIMITED</b>	Service set for Coder Unlimited (1-/3-stacker or desk leporello) or Coder Basic 'OPOS', content customer-specific, contains spare parts for fast help in case of coder troubles			
7	937800020	<b>SW-CO/OS</b>	Operating program/firmware coder			
8	946100000	<b>CODER UNLIMITED DESK</b>	Desktop Coder Unlimited incl. 2 parkpositions and double fanfold feed			
9	946010510	<b>CO UNLIMITED BC C</b>	Crosswise barcode reader for Coder Basic/Unlimited			
10	946010074	<b>CO UNLIMITED RFID/13MHz</b>	RFID Kit 13MHz for Coder Unlimited Desk (SD805)			
11	CPZ4410	<b>Cleaning Kit Coder</b>	Cleaning set Coders. For Coder Unlimited/Basic/Light, Coders x70, monitor, keyboard			
12	938080100	<b>SP-CO/UNLIMITED</b>	Service set for Coder Unlimited (1-/3-stacker or desk leporello) or Coder Basic 'OPOS', content customer-specific, contains spare parts for fast help in case of coder troubles			
13	946100800	<b>CO UNLIMITED DESK/e</b>	Conversion kit for "Coder Unlimited Desk 1-/3-stacker" to "Coder Unlimited Desk" incl. leporello/fanfold ticket feeder with table adapter			
14	937800020	<b>SW-CO/OS</b>	Operating program/firmware coder			
15	938100002	<b>CO BASIC OPOS/13MHz</b>	Coder Basic 'OPOS', ticket coder for handsfree datacarriers 13MHz			



16	CPZ4410	<b>Cleaning Kit Coder</b>	Cleaning set Coders. For Coder Unlimited/Basic/Light, Coders x70, monitor, keyboard			
17	938080100	<b>SP-CO/ UNLIMITED</b>	Service set for Coder Unlimited (1-/3- stacker or desk leporello) or Coder Basic 'OPOS', content customer- specific, contains spare parts for fast help in case of coder troubles			
18	937800020	<b>SW-CO/OS</b>	Operating program/firmware coder			
19	938100012	<b>CO LIGHT OPOS/13MHz</b>	Coder Light 'OPOS', ticket coder for handsfree datacarriers 13MHz			
20	966201060	<b>RD-KEYD/13MHz</b>	Keydetector 13MHz, processes ISO15693 data carriers, incl. keypad, red/green-LED, beep, USB-cable 3m (power-over-USB), I/O-cable 3m, incl. operating program			
21	935010400	<b>KC x50 BK03/ USB-MOUNTAIN</b>	SKIDATA keyboard, USB, incl. 27 special keys "Mountain", without country-specific keys			
22	935010183	<b>KC x50 BK03/ KEYS-HR</b>	Country specific keys Croatia for SKIDATA keyboard			
23	935010185	<b>KC x50 BK03/ KEYS-BA</b>	Country specific keys Bosnia- Hercegovina for SKIDATA keyboard			
24	935010186	<b>KC x50 BK03/ KEYS-BG</b>	Country specific keys Bulgaria for SKIDATA keyboard			
25	935010800	<b>KC x50 BK02/TEB</b>	Inlay paper for SKIDATA keyboard 1 piece A4 sheet, precut, printable			
26	935010190	<b>KC x50 BK02- MOUNTAIN/V18</b>	27 special keys "Mountain" for SKIDATA keyboard KC x50 BK02 and KC x50 BK03, needed only for existing keyboards if software is updated to version 18 or higher			
27	945021020	<b>CUST DISPL MC/USB</b>	LCD customer display 2x16 characters with LED backlight, incl. stand foot, 4 vacuum cups, 3m USB-data/power- cable			
28	937000110	<b>KC 370i AUT2</b>	KC Recycler, incl. monitor, alarm, and I/O-Device 'USB-4761' for processing of monitor confirmation buttons, for convenient returning of keycards and refunding of the deposit			
29	937010200	<b>KC 370i AUT2/BR</b>	Option banknote module			
30	937010210	<b>KC 370i AUT2/MR</b>	Option coin module			
31	937010212	<b>KC 370i AUT2/MR/GR</b>	Option coin module for big coins. Diameter > 30mm.			
32	945010012	<b>KA 450 USV 2</b>	Uninterruptable power supply, 650VA / 220V			

33	937010500	<b>KC 370i AUT2/H/220V</b>	Option Heating 220V			
34	937010510	<b>KC 370i AUT2/H/110V</b>	Option Heating 110V			
35	936010020	<b>KC 360 AUT/SF</b>	Stand leg for KC recycler			
36	937010700	<b>KC 370i AUT2/KON</b>	Console for wall mounting			
37	937010260	<b>KC 370i AUT2/WKB</b>	Change cassette banknotes			
38	937010250	<b>KC 370i AUT2/WKM</b>	Change cassette coins			
39	937411006	<b>AC-IO/USB-4761</b>	I/O-Device 'USB-4761', 8 In-/Outputs each, incl. USB cable, Power-over-USB			
40	938000000	<b>AT-EASY/MOUNT</b>	Ticket Vending Machine, wall-mounted, cashless payment, incl. reload module, excl. payment terminal and associated cover plate, excl. software			
41	938000000	<b>AT-EASY/MOUNT</b>	Ticket Vending Machine, wall-mounted, cashless payment, incl. reload module, excl. payment terminal and associated cover plate, excl. software			
42	938010700	<b>AT-EASY/MOUNT/FOOT</b>	Standfoot			
43	938010710	<b>AT-EASY/WALLMOUNT/BANKSYS</b>	Cover plate for 'Banksys' payment terminal for wall-mount machine			
44	938010712	<b>AT-EASY/WALLMOUNT/INGENICO</b>	Cover plate for 'Ingenico' payment terminal for wall-mount machine			
45	938010714	<b>AT-EASY/WALLMOUNT/SAGEM</b>	Cover plate for 'Sagem' payment terminal for wall-mount machine			
46	938010718	<b>AT-EASY/WALLMOUNT/THALES</b>	Cover plate for 'Thales' payment terminal for wall-mount machine			
47	938010720	<b>AT-EASY/WALLMOUNT/DAVINCI2</b>	Cover plate for 'Davinci2' payment terminal for wall-mount machine			
48	938000020	<b>AT-EASY/RELOAD</b>	Ticket Vending Machine, ticket reload function only, cashless payment, excl. payment terminal and associated cover plate, excl. software			
49	938000020	<b>AT-EASY/RELOAD</b>	Ticket Vending Machine, ticket reload function only, cashless payment, excl. payment terminal and associated cover plate, excl. software			

50	938010702	<b>AT-EASY/ RELOAD/FOOT</b>	Standfoot			
51	938010730	<b>AT-EASY/ RELOAD/ BANKSYS</b>	Cover plate for 'Banksys' payment terminal for reload machine			
52	938010732	<b>AT-EASY/ RELOAD/ INGENICO</b>	Cover plate for 'Ingenico' payment terminal for reload machine			
53	938010734	<b>AT-EASY/ RELOAD/ SAGEM</b>	Cover plate for 'Sagem' payment terminal for reload machine			
54	938010738	<b>AT-EASY/ RELOAD/ THALES</b>	Cover plate for 'Thales' payment terminal for reload machine			
55	938010740	<b>AT-EASY/ RELOAD/ DAVINCI2</b>	Cover plate for 'Davinci2' payment terminal for reload machine			
56	937800020	<b>SW-CO/OS</b>	Operating program/firmware coder			
57	938100012	<b>CO LIGHT OPOS/13MHz</b>	Coder Light 'OPOS', ticket coder for handsfree datacarriers 13MHz			
58	937800020	<b>SW-CO/OS</b>	Operating program/firmware coder			
59	938100002	<b>CO BASIC OPOS/13MHz</b>	Coder Basic 'OPOS', ticket coder for handsfree datacarriers 13MHz			
60	CPZ4410	<b>Cleaning Kit Coder</b>	Cleaning set Coders. For Coder Unlimited/Basic/Light, Coders x70, monitor, keyboard			
61	966201060	<b>RD-KEYD/13MHz</b>	Keydetector 13MHz, processes ISO15693 data carriers, incl. keypad, red/green-LED, beep, USB-cable 3m (power-over-USB), I/O-cable 3m, incl. operating program			
62	937802000	<b>SW-POC/OS</b>	Operating program/firmware reader			
63	937802100	<b>SW-POC/OS/ DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface)			
64	937802110	<b>SW-POC/OS/ DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface), for reader control by 3rd party software			
65	938203000	<b>Easy.Gate/ Antenna</b>	Antenna for Easy.Gate, high and child-friendly left-side antenna for fast keycard detection 13.56MHz, 2-colour user lights			
66	937500200	<b>Easy.Gate/ Turnstile</b>	Servo driven turnstile incl. electronics, for convenient passing, without turnstile bar			
67	938310020	<b>Easy.Gate/PWR Housing</b>	Power supply Standard for 1 Easy.Gate, incl. Housing			

68	938310022	<b>Easy.Gate/PWR/UL</b>	Power supply UL version (USA) for 1 Easy.Gate, without housing, for installation in electrical switch cabinet, for UL conforme installations			
69	938310002	<b>Vario.Gate/FRMO/PWR240 Housing</b>	Power supply with housing and main on/off-switch, with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gate checkpoints depending on their configuration			
70	938310012	<b>Vario.Gate/FRMO/PWR240</b>	Power supply with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gates checkpoints depending on their configuration			
71	935500010	<b>DKZ x70i S3</b>	Turnstile bar, 3 arms			
72	935500030	<b>DKZ x70i S2</b>	Turnstile bar, 2 arms			
73	935500020	<b>DKZ x70i S1</b>	Turnstile bar, 1 arm			
74	938203900	<b>Easy.Gate/Cover</b>	Cover for Easy.Gate			
75	935520000	<b>DKZ 350 ST/HV</b>	Floor-stand height-adjustable, incl. protective plate			
76	935520020	<b>DKZ 350 P</b>	Pallet			
77	937520000	<b>AS x70 GATE/STFU/P</b>	Railing, galvanized, height-adjustment, Pallet Mounting			
78	937520030	<b>AS x70 GATE/STFU/M</b>	Railing, galvanized, height-adjustment, Floor Mounting			
79	935520010	<b>DKZ 350 ST/INOX</b>	Inox Floor-Stand for Turnstile.Gate			
80	966520020	<b>DKZ x60 P/S</b>	Mounting Pallet for Turnstile.Gate (incl. pallet joints)			
81	966520030	<b>DKZ x60 G/S</b>	Railing for mounting pallet of Turnstile.Gate			
82	937802000	<b>SW-POC/OS</b>	Operating program/firmware reader			
83	937802100	<b>SW-POC/OS/DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface)			

84	937802110	<b>SW-POC/OS/DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface), for reader control by 3rd party software			
85	938203000	<b>Easy.Gate/Antenna</b>	Antenna for Easy.Gate, high and child-friendly left-side antenna for fast keycard detection 13.56MHz, 2-colour user lights			
86	938203800	<b>Easy.Gate/DKZx70i/Retrofit</b>	Retrofit kit for existing turnstile DKZ350/x70i for usage with Easy.Gate, contains electronic boards and mounting material			
87	938203900	<b>Easy.Gate/Cover</b>	Cover for Easy.Gate			
88	966800145	<b>LZ HSH SD RFID</b>	Reader Licence for SKIDATA ISO15693 RFID data carriers per reader			
89	937802000	<b>SW-POC/OS</b>	Operating program/firmware reader			
90	937802120	<b>SW-POC/OS/DEI</b>	Operating program reader / firmware			
91	937802100	<b>SW-POC/OS/DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface)			
92	937802110	<b>SW-POC/OS/DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface), for reader control by 3rd party software			
93	938200016	<b>RD-FRMO/BASIC/5</b>	Freemotion.Gate 'Basic' including QVGA color display and operator lights, enhanced marketing possibilities by displaying of logos and advertising, high and child-friendly antenna for fastest left-side detection of 13MHz/ISO15693 data carriers, 4 light sensors for convenient and childproof passing, climated aluminium diecast housing for robust operation			
94	938310002	<b>Vario.Gate/FRMO/PWR240 Housing</b>	Power supply with housing and main on/off-switch, with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gate checkpoints depending on their configuration			
95	938310012	<b>Vario.Gate/FRMO/PWR240</b>	Power supply with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gates checkpoints depending on their configuration			
96	938500110	<b>RD-FRMO/S1</b>	Turnstile 1-arm			
97	938500120	<b>RD-FRMO/S2</b>	Turnstile 2-arm, recommended for access with fastened ski			
98	938500100	<b>RD-FRMO/S3</b>	Turnstile 3-arm, recommended for access with not fastened ski			

99	938520014	<b>RD-FRMO/ FOOT/5</b>	Stand foot (incl. board and cables) for base unit and right-side antenna			
100	938520026	<b>RD-FRMO/ PAL/3</b>	Standard pallet for Freemotion.Gate, for easy reader mounting			
101	938520052	<b>RD-FRMO/ RAILING/PAL</b>	Right-side railing for reader group Freemotion.Gate 'Basic', height-adjustable, pallet mounting			
102	938520054	<b>RD-FRMO/ RAILING/FLOOR</b>	Right-side railing for reader group Freemotion.Gate 'Basic', height-adjustable, floor mounting			
103	938520004	<b>RD-FRMO/ SUSPENS/5</b>	Accessory set for suspension of Freemotion.Gate, per base unit			
104	938200800	<b>SV-RD/ FRMO/CUT</b>	Cutting of Freemotion.Gate (base unit or right-side antenna) for gantry mounting			
105	938210002	<b>RD-FRMO/BC2/3</b>	Barcode module 2-way for Freemotion.Gate, for double-side reading (top and bottom) of barcode tickets			
106	938210030	<b>RD-FRMO/ HDETECT</b>	Height detection sensor for Freemotion.Gate, for avoiding misuse of child tickets			
107	938210012	<b>RD-FRMO/ CAMERA/2</b>	Video camera IP/VGA for Freemotion.Gate, for avoiding misuse of time tickets			
108	938210032	<b>VARIO.GATE/ FRMO/ SOUNDMODULE</b>	Sound module for playing of polyphone sounds (WAV files) at the Freemotion reader resp. Vario.Gate			
109	938500200	<b>RD-FRMO/ BRAKE/3</b>	Brake for turnstile of Freemotion.Gate			
110	938520050	<b>RD-FRMO/ FRAIL</b>	Front railing / strap, for base unit and right-side antenna, for convenient access of children, beginners, and snowboarders			
111	938200700	<b>RD-FRMO/ HAUTO</b>	Convenient and fast height adjustment, for base unit and right-side antenna, for changing snow heights			
112	938520030	<b>RD-FRMO/ PAL/INDOOR</b>	Pallet top cover indoor, extension for standard and wide pallet			
113	938200900	<b>RD-FRMO/ COVER</b>	Cover standard size for Freemotion.Gate 'Basic'/'Full'			
114	938080210	<b>SP-RD/ FREEMOTION/3</b>	Service set for Freemotion.Gate V3/V5, content customerspecific, contains spare parts for fast help in case of reader troubles			
115	938210120	<b>RD-FRMO/ UL</b>	Extension kit for UL conformity (USA and Canada only), for base unit of Freemotion.Gate			
116	937802000	<b>SW-POC/OS</b>	Operating program/firmware reader			

117	937802120	<b>SW-POC/OS/DEI</b>	Operating program reader / firmware			
118	937802100	<b>SW-POC/OS/DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface)			
119	937802110	<b>SW-POC/OS/DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface), for reader control by 3rd party software			
120	938200006	<b>RD-FRMO/FULL/5</b>	Base unit for Freemotion.Gate 'Full' including QVGA color display and operator lights, enhanced marketing possibilities by displaying of logos and advertising, high and child-friendly antenna for fastest detection of 13MHz/ISO15693 data carriers over the entire lane, 4 light sensors for convenient and childproof passing, climated aluminium diecast housing for robust operation			
121	938201003	<b>RD-FRMO/FULL/RIGHT/5</b>	Right-side antenna for Freemotion.Gate 'Full', needed 1x per reader group, for fastest detection of 13,56MHz/ISO15693 data carriers over the entire lane			
122	938310002	<b>Vario.Gate/FRMO/PWR240 Housing</b>	Power supply with housing and main on/off-switch, with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gate checkpoints depending on their configuration			
123	938310012	<b>Vario.Gate/FRMO/PWR240</b>	Power supply with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gates checkpoints depending on their configuration			
124	938500110	<b>RD-FRMO/S1</b>	Turnstile 1-arm			
125	938500120	<b>RD-FRMO/S2</b>	Turnstile 2-arm, recommended for access with fastened ski			
126	938500100	<b>RD-FRMO/S3</b>	Turnstile 3-arm, recommended for access with not fastened ski			
127	938520014	<b>RD-FRMO/FOOT/5</b>	Stand foot (incl. board and cables) for base unit and right-side antenna			
128	938520026	<b>RD-FRMO/PAL/3</b>	Standard pallet for Freemotion.Gate, for easy reader mounting			
129	938520028	<b>RD-FRMO/PAL/RIGHT/3</b>	Wide pallet for rightest lane in the reader group (instead of Standard pallet), for easy reader mounting			
130	938520004	<b>RD-FRMO/SUSPENS/5</b>	Accessory set for suspension of Freemotion.Gate, per base unit			
131	938200800	<b>SV-RD/FRMO/CUT</b>	Cutting of Freemotion.Gate (base unit or right-side antenna) for gantry mounting			

132	938210002	<b>RD-FRMO/BC2/3</b>	Barcode module 2-way for Freemotion.Gate, for double-side reading (top and bottom) of barcode tickets			
133	938210030	<b>RD-FRMO/HDETECT</b>	Height detection sensor for Freemotion.Gate, for avoiding misuse of child tickets			
134	938210012	<b>RD-FRMO/CAMERA/2</b>	Video camera IP/VGA for Freemotion.Gate, for avoiding misuse of time tickets			
135	938210032	<b>VARIO.GATE/FRMO/SOUNDMODULE</b>	Sound module for playing of polyphone sounds (WAV files) at the Freemotion reader resp. Vario.Gate			
136	938500200	<b>RD-FRMO/BRAKE/3</b>	Brake for turnstile of Freemotion.Gate			
137	938520050	<b>RD-FRMO/FRAIL</b>	Front railing / strap, for base unit and right-side antenna, for convenient access of children, beginners, and snowboarders			
138	938520056	<b>RD-FRMO/FRAIL/SHIELD</b>	Shielding plate against card detection from neighbour reader, optional article for front railing / strap, for antennas of Freemotion.Gate 'Full' that are not outside located in the reader group			
139	938200700	<b>RD-FRMO/HAUTO</b>	Convenient and fast height adjustment, for base unit and right-side antenna, for changing snow heights			
140	938520030	<b>RD-FRMO/PAL/INDOOR</b>	Pallet top cover indoor, extension for standard and wide pallet			
141	938200900	<b>RD-FRMO/COVER</b>	Cover standard size for Freemotion.Gate 'Basic'/'Full'			
142	938080210	<b>SP-RD/FREEMOTION/3</b>	Service set for Freemotion.Gate V3/V5, content customerspecific, contains spare parts for fast help in case of reader troubles			
143	938210074	<b>RD-FRMO/HF/RESISTOR/3</b>	HF termination resistor for base unit of Freemotion.Gate 'Full' (V3, V5), for temporary disconnection and removal of the right-side antenna			
144	938210120	<b>RD-FRMO/UL</b>	Extension kit for UL conformity (USA and Canada only), for base unit of Freemotion.Gate			
145	938210046	<b>RD-FRMO/OPENGATE/5</b>	Additional front antenna for base unit for Freemotion.Gate 'Open', for more access convenience and higher through-put			
146	938201214	<b>RD-FRMO/OPENGATE/RIGHT/5</b>	Additional front antenna for right-side antenna for Freemotion.Gate 'Open', for more access convenience and higher through-put			
147	938200910	<b>RD-FRMO/COVER/OPENGATE</b>	Cover oversize for Freemotion.Gate 'Open'			
148	938500210	<b>RD-FRMO/BRAKE/RETROFIT</b>	Retrofit set brake for turnstile of Freemotion.Gate V1/V3. Availability and delivery time on request			



149	938500210	<b>RD-FRMO/BRAKE/RETROFIT</b>	Retrofit set brake for turnstile of Freemotion.Gate V1/V3, used device. Availability and delivery time on request			
150	938200724	<b>RD-FRMO/BC/COVER</b>	Cover plate for barcode module			
151	938080200	<b>SP-RD/FREEMOTION</b>	Service set for Freemotion.Gate V1 (2006-2008), content customerspecific, contains spare parts for fast help in case of reader troubles			
152	938200800	<b>SV-RD/FRMO/CUT</b>	Cutting of Freemotion.Gate (base unit or right-side antenna) for gantry mounting			
153	937802000	<b>SW-POC/OS</b>	Operating program/firmware reader			
154	937802120	<b>SW-POC/OS/DEI</b>	Operating program reader / firmware			
155	937802100	<b>SW-POC/OS/DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface)			
156	937202020	<b>Vario.Gate p@h/qvga/V3</b>	Vario.Gate with QVGA display and one-point technology for ticket supply, fastest ticket check of 1D/2D barcode tickets, print@home tickets, and RFID data carriers ISO14443/15693. Reader licence for 1D/2D barcodes included.			
157	966800145	<b>LZ HSH SD RFID</b>	Reader Licence for SKIDATA ISO15693 RFID data carriers per reader			
158	966800146	<b>LZ HSH 3RD RFID</b>	Reader Licence for SKIDATA ISO15693 and ISO14443 3rd party RFID data carriers per reader			
159	966800147	<b>LZ HSH SD RFID UP</b>	Upgrade Licence from SKIDATA ISO15693 RFID to 3rd party RFID per reader			
160	937250000	<b>Vario.Gate - AS x70i C/Adapter/FL</b>	Mounting Adapter for SKIDATA Turnstile for one-way operation - left handed			
161	937250010	<b>Vario.Gate - AS x70i C/Adapter/B</b>	Mounting Adapter for SKIDATA Turnstile entrance or exit			
162	937250020	<b>Vario.Gate - AS x70i C/Adapter/FR</b>	Mounting Adapter for SKIDATA Turnstile for one way operation - right handed			
163	937250030	<b>Vario.Gate - AS x70i C/Adapter/L+R</b>	Mounting Adapter for 2 Readers on turnstile, bidirectional mode for simultaneous entrance and exit			
164	937250012	<b>Vario.Gate Direction Recognition Adapter</b>	Automatic direction recognition (entrance, exit, middle position) Includes: SD808 print, modified mounting adapter for turnstile, sensor, interlock			
165	937250040	<b>Vario.Gate Adapter-Retrofit Kit</b>	Retrofit Kit Reader Adapter for SKIDATA Turnstiles Adapter ASx70i Compact.Gate must be on site			

166	937212220	<b>Vario.Gate Operator Display Cable</b>	Cable is required for retrofit Compact.Gate Operator Display to Vario.Gate Operator Display			
167	937212200	<b>Vario.Gate SD-Interface Print</b>	Vario.Gate interface board for SKIDATA turnstiles			
168	937212210	<b>Vario.Gate OEM-Interface Print</b>	Vario.Gate Interface print for OEM-Turnstiles			
169	938310012	<b>Vario.Gate/FRMO/PWR240</b>	Power supply with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gates checkpoints depending on their configuration			
170	938310002	<b>Vario.Gate/FRMO/PWR240 Housing</b>	Power supply with housing and main on/off-switch, with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gate checkpoints depending on their configuration			
171	937212400	<b>Vario.Gate Operator Light</b>	3 Colour Operator Light (red, green yellow), 1x Spacer, 1x M12x120mm, 1x Cast Arm			
172	937250900	<b>Vario.Gate Spacer Set</b>	4x Spacer, 2x M12x120mm Spacer Sets necessary for Vario.Gate "Operator Light"-Option reduces number of sets by half			
173	100304220	<b>Vario.Gate Cast Arm DKZ 350</b>	Extension arm for additional device mounted on Turnstile (DKZx70) (e.g. print@gate)			
174	938210032	<b>Vario.Gate/FRMO/ Soundmodule</b>	Sound module for polyphone sounds (WAV files)			
175	937202430	<b>Vario.Gate Camera</b>	VGA camera for Vario.Gate, incl. holding and cabling, retrofitable			
176	937202900	<b>Vario.Gate cover/V1</b>	Protection Cover for Vario.Gate			
177	937210400	<b>RD-CF/OD</b>	Operator display for steward information			
178	937202400	<b>Vario.Gate Storage Medium</b>	SKIDATA qualified storage medium for supporting advanced offline functionality (Black-/Whitelist). Mandatory for the Handshake.Logic Offline extension. The storage medium has to be installed into the Vario.Gate.			
179	937282000	<b>SP-Vario.Gate Box</b>	Spare part Box for Vario.gate p@h/qvga/v3, content and price customerspecific, contains spare parts for fast help in case of reader troubles			
180	937202420	<b>Vario.Gate Upgradekit SD805</b>	Upgrade-Kit Vario.Gate V1 and V2 for Support of NFC und Scripting: sd805 replaces sd705, change of antenna			
181	937212410	<b>Vario.Gate Touch-Pad</b>	Handshake.Logic operator Touch-Pad for controlling a checkpoint, operator support and ticket fraud prevention. (At present Touch-Pad can only be installed in combination with Vario.Gate and			

			HSH!) Article includes Touch-Pad, Casing, Mounting adaptor for the operator light and basic software licence (e.g. basic Touch-Pad functions like login, gate control functions, showing whitelist properties (e.g. season pass foto), etc.			
182	937250100	<b>Vario.Gate Touch-Pad mounting adaptor cast arm</b>	Mounting adaptor with cast arm for mounting the Touch-Pad on a Skidata turnstile in case no operator light is installed. Includes: cast arm, short mounting pole with cone and mounting screws			
183	937250102	<b>Vario.Gate Touch-Pad operator light</b>	3-colour Operator Light (red, yellow, green) prepared for Touch-Pad mounting, post with hole for Touch-Pad cable inlet, 1x spacer, 1x M12x120mm, 1x cast arm. (This article is instead of a regular Vario.Gate Operator Light)			
184	937201904	<b>Vario.Gate Touch-Pad Cover</b>	Tearproof protection cover for Vario.Gate PinPad with hook-and-loop fastener (color: gray)			
185	937202920	<b>Vario.Gate Customization Front-Colour</b>	Customized colour of reader glass front, single RAL colour. Price and delivery time on request			
186	937202922	<b>Vario.Gate Customization Casing-Colour</b>	Customized colour of reader casing, single RAL colour. Price and delivery time on request			
187	937202930	<b>Vario.Gate left Skidata-Logo removal</b>	SKIDATA Logo on the left side of the Vario.Gate casing will be removed / per device. Delivery time on request			
188	937202932	<b>Vario.Gate SKIDATA Diamond removal</b>	Vario.Gate Option: Removal of SKIDATA Logo on the glas front / per device minimum order 20pcs. Delivery time on request			
189	937500000	<b>DKZ x70i</b>	Servo Drive Unit with light sensor for fast and smooth passage			
190	935500010	<b>DKZ x70i S3</b>	Turnstile.Gate bar, 3 arms			
191	935500012	<b>DKZ x70i S3 V4A</b>	Turnstile.Gate bar, 3 arms - high quality stainless steel (V4A)			
192	935500150	<b>DKZ 350 S3/SH</b>	Shock protection cover for arm of Turnstile.Gate, per bar			
193	955500030	<b>PO 850</b>	Escape Option for Turnstile.Gate installation width 850mm			
194	955500040	<b>PO 950</b>	Escape option for Turnstile.Gate installation width 950mm			
195	955500980	<b>PO 850/950 SH</b>	Shock protection cover for escape options installation width 850 or 950, per bar			
196	937500840	<b>TS-HSH-01/RELAIS</b>	Relais kit for escape option to release the bars by software			

197	938310012	<b>Vario.Gate/FRMO/PWR240</b>	Power supply with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gates checkpoints depending on their configuration			
198	938310002	<b>Vario.Gate/FRMO/PWR240 Housing</b>	Power supply with housing and main on/off-switch, with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gate checkpoints depending on their configuration			
199	935520010	<b>DKZ 350 ST/INOX</b>	Inox Floor-Stand for Turnstile.Gate			
200	935520012	<b>DKZ 350 ST NIRO V4A</b>	Inox Floor-Stand for Turnstile.Gate, high quality stainless steel (V4A)			
201	966520020	<b>DKZ x60 P/S</b>	Mounting Pallet for Turnstile.Gate (incl. Pallet-joints)			
202	999000382	<b>Pallet DKZ x60 P/S, 10cm longer</b>	Mounting pallet for Turnstile.Gate (incl. Pallet-joints) for panic option 950, like pallet 966520020 but 10cm longer. Galvanized iron and aluminum, for escape mechanism with installation width 950 and 3-arm turnstile			
203	966520030	<b>DKZ x60 G/S</b>	Railing for mounting palette of Turnstile.Gate			
204	937520010	<b>AS x70 GATE/STFU/N</b>	Railing (Inox stand-foot) mountable on floor, floor-receptacle and palette optional: stand-foot for mounting of Compact.Gate or Vario.Gate without Turnstile.Gate standfoot is lower as ADA standfoot and NOT centered on base plate			
205	937520012	<b>AS x70 GATE7STFU/N NIRO V4A</b>	Railing (Inox stand-foot) - high quality stainless steel (V4A) mountable on floor, floor-receptacle and palette optional: stand-foot for mounting of Compact.Gate OR Vario.Gate without Turnstile.Gate standfoot lower than ADA standfoot and NOT centered on base plate			
206	937500820	<b>DKZ x70 counting</b>	Bidirectional Counting Option for Turnstile.Gate via Ethernet			
207	100304252	<b>DKZ x70i HB</b>	Bracket for Turnstile.Gate			
208	955520014	<b>DKZ 550 BEH</b>	Floor receptacle for Turnstile.Gate stand foot, to be installed in raw concrete			
209	520300012	<b>BEH-P STD</b>	Cover plate for floor-receptacle Standard version			
210	955500902	<b>DKZ 550 FM / PB</b>	Push button for escape option			

211	955310000	<b>DKZ 550 FM / FS</b>	Control Device for escape option for up to 10 Turnstile.Gates rackmounted with internal power supply for turnstile escape mechanism			
212	937500100	<b>DKZ x70 ADA</b>	Servo Drive Unit with light sensors for Turnstile.Gate ADA special designed for people with disabilities, luggage or stroller/baby buggy <b>Attention:</b> Only to be used with an operator to guarantee safe entrance! Setting 'free exit' must not be used ! <b>Not to be used for mass entrance !</b>			
213	937500500	<b>DKZ x70 S1/ADA</b>	Metal single bar for Turnstile.Gate ADA			
214	937500700	<b>DKZ x70 S1/ADA/SH</b>	Shock protection for Turnstile.Gate ADA single bar			
215	937500520	<b>DKZ x70 S1/ADA/FLEX</b>	Flexible single bar for Turnstile.Gate ADA incl. shock protection			
216	937520040	<b>DKZ x70 ST/ADA</b>	Inox Floor-Stand for Turnstile.Gate ADA			
217	937520060	<b>DKZ x70 R/ADA</b>	Railing ADA (Inox stand-foot) mountable on floor, floor-receptacle and palette Standfoot higher than standard railing and centered on base plate			
218	938310012	<b>Vario.Gate/FRMO/PWR240</b>	Power supply with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gates checkpoints depending on their configuration			
219	938310002	<b>Vario.Gate/FRMO/PWR240 Housing</b>	Power supply with housing and main on/off-switch, with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gate checkpoints depending on their configuration			
220	955520014	<b>DKZ 550 BEH</b>	Floor receptacle for Turnstile.Gate stand foot to be installed in raw concrete			
221	520300012	<b>BEH-P STD</b>	Cover plate for floor-receptacle Standard version			
222	937802120	<b>SW-POC/OS/DEI</b>	Operating program reader / firmware			
223	937802100	<b>SW-POC/OS/DEI</b>	Operating program reader, firmware incl. DEI (device enabling Interface)			
224	937202020	<b>Vario.Gate p@h/qvga/V3</b>	Vario.Gate with Shortrange-Modul sd805 und changed antenna; also suitable for support of NFC-datacarrier			
225	966800145	<b>LZ HSH SD RFID</b>	Reader Licence for SKIDATA ISO15693 RFID data carriers per reader			

226	966800146	<b>LZ HSH 3RD RFID</b>	Reader Licence for SKIDATA ISO15693 and ISO14443 3rd party RFID data carriers per reader			
227	966800147	<b>LZ HSH SD RFID UP</b>	Upgrade Licence from SKIDATA ISO15693 RFID to 3rd party RFID per reader			
228	955500230	<b>Arena.Gate Double Zinc Coated</b>	Motorized, full height Double-Turnstile, zinc coated steel, including roof cover sheets, mounting material and relay electronic for possible connection for firealarm-system support. (Drum and guiding rake in V2A steal; Aluminium Bridge Cover powder coated in RAL 9006) One drilling stencil free of charge per project included.			
229	955500280	<b>Arena.Gate Installation Kit Double</b>	Mandatory installation material for Arena.Gate Double. Includes two pieces each SD 792, USB W3 Cable, Power W4 Cable and Ethernet W6 Cable (partly preinstalled).			
230	955500270	<b>Arena.Gate Safebox Double</b>	Lockable security box for two access points (Arena.Gate Double). Includes push buttons and keyswitches for manual release and emergency buttons Supports operator lights and displays.			
231	955500274	<b>Arena.Gate Safebox Kit Double</b>	Mandatory installation material for Arena.Gate Safebox Double. Includes two pieces each SD 780, SD789, Display, Operator Light Cable W2 and Interface Cable W5.			
232	955500220	<b>Arena.Gate Single Left Zinc Coated</b>	Motorized, full height single turnstile, zinc coated, including roof cover sheets, mounting material and relay electronic for possible connection for firealarm-system support. (Drum and guiding rake in V2A steal, Aluminium Bridge Cover powder coated in RAL 9006). Entrance reader mountable on the LEFT hand side. One drilling stencil free of charge per project included.			
233	955500222	<b>Arena.Gate Single Right Zinc Coated</b>	Motorized, full height single turnstile, zinc coated, including roof cover sheets, mounting material and relay electronic for possible connection for firealarm-system support. (Drum and guiding rake in V2A steal, Aluminium Bridge Cover powder coated in RAL 9006). Entrance reader mountable on the RIGHT hand side. One drilling stencil free of charge per project included.			
234	955500278	<b>Arena.Gate Installation Kit Single</b>	Mandatory installation material for Arena.Gate Single versions. Includes one piece each SD 792, USB W3 Cable, Power W4 Cable and Ethernet W6 Cable (partly preinstalled).			
235	955500272	<b>Arena.Gate Safebox Single</b>	Lockable security box for one access point (Arena.Gate Single). Includes push button and keyswitch for manual release and emergency button Supports operator light and display.			
236	955500276	<b>Arena.Gate Safebox Kit Single</b>	Mandatory installation material for Arena.Gate Safebox Single. Includes one piece each SD 780,			

			SD789, Display, Operator Light Cable W2 and Interface Cable W5.			
237	938310012	<b>Vario.Gate/FRMO/PWR240</b>	Power supply with quick connect spring clamp, UL certified; powers 1 Freemotion.Gate or 2 Easy.Gate or 1 to 2 Vario.Gates checkpoints depending on their configuration			
238	955500288	<b>Arena.Gate Reader Protection Double</b>	Optional retract mechanism with lockable front for protecting two ticket readers against unauthorized access.			
239	955500286	<b>Arena.Gate Reader Protection Single</b>	Optional retract mechanism with lockable front for protecting one ticket reader against unauthorized access.			
240	955500800	<b>Arena.Gate Customization Colour</b>	Powder coating in single customerspecific RAL colour (except full height rotor, guiding rake and lockable sliding doors)			
241	955500284	<b>Arena.Gate Foundation Kit Double</b>	Foundation kit and mounting material for Arena.Gate Double to mount into raw concrete. At ordering the height of floor construction has to be stated!			
242	955500282	<b>Arena.Gate Foundation Kit Single</b>	Foundation kit and mounting material for Arena.Gate Single to mount into raw concrete. At ordering the height of floor construction has to be stated!			
243	955500292	<b>Arena.Gate Drilling Stencil Double</b>	Additional drilling stencil for Arena.Gate Double.			
244	955500290	<b>Arena.Gate Drilling Stencil Single</b>	Additional drilling stencil for Arena.Gate Single.			
245	955500202	<b>Arena.Gate Double V2A</b>	Surcharge for motorized, full height double-drum-turnstile with V2A steel drumstile, guiding rake, stands in V2A steel			
246	955500212	<b>Arena.Gate Double V4A</b>	Surcharge for motorized, full height double drum-turnstile in V4A (especially for very rough environmental conditions e.g. sea air) drumstile, guiding rake, stands in V4A steel			
247	955500200	<b>Arena.Gate Single V2A</b>	Surcharge for motorized, full height single drum-turnstile with V2A steel drumstile, guiding rake, stands in V2A steel			
248	955500210	<b>Arena.Gate Single V4A</b>	Surcharge for motorized, full height single drum-turnstile in V4A (especially for very rough environmental conditions e.g. sea air) drumstile, guiding rake, stands in V4A steel			
249	955500294	<b>Arena.Gate Heating</b>	Additional heating and insulation for temperatures down to -30°C for Arena.Gate Double/Single			
250	955500899	<b>Arena.Gate Seefright.Packing</b>	Costs für special packing of Arena.Gate for seafreight transportation, price on request (depending on order quantity), please state at 'Project Info' within pricelist			

251	937411006	<b>AC-IO/USB-4761</b>	I/O-Device 'USB-4761', 8 In-/Outputs each, incl. USB cable, Power-over-USB			
252	937330000	<b>AC-MOBILEREADER</b>	Mobile RFID reader for datacarriers ISO15693, ISO14443, ISO18092. Incl. hand strap and belt clip (max. belt thickness 3,5mm, max. belt height 36mm). Red/yellow/green LEDs, 1 status LED, buzzer, 1-key operation for all functions. 2600mAh Li-Ion-Accu, Bluetooth, USB cable, SAM slot, SKIDATA lanyard. Incl. operating program.			
253	937310120	<b>AC-MOBILE READER/POWER</b>	Charging unit (110-240V) for Mobilereader.Gate, suitable for EU, US			
254	937330616	<b>AC-MOBILEREADER/BELTBAG</b>	Beltbag from Cordura for Mobilereader.Gate, with clip and space for heel of hand loop			
255	966800146	<b>LZ HSH 3RD RFID</b>	Reader Licence for SKIDATA ISO15693 and ISO14443 3rd party RFID data carriers per reader			
256	966800153	<b>LZ HSH PRINT@GATE</b>	Handshake.Logic Print@Gate Licence per printer for handheld (Handheld.Gate Print@Gate) Subject to SKIDATA Software conditions			
257	937330510	<b>HH-RC/TR</b>	Transmitter Radio Remote Control for use with both receiver options			
258	937330500	<b>HH-RC/RE-SER</b>	Receiver Radio Remote Control, for use with minicentral			
259	937330520	<b>HH-RC/AN</b>	Antenna for Radio Remote Control, for connection to receiver unit			
260	966201060	<b>RD-KEYD/13MHz</b>	Keydetector 13MHz, processes ISO15693 data carriers, incl. keypad, red/green-LED, beep, USB-cable 3m (power-over-USB), I/O-cable 3m, incl. operating program			
261	966201064	<b>RD-KEYD/13MHz-WALL-IO-ETH</b>	Wallmount for Keydetector 13MHz, Ethernet-10/100-RJ45-connector (Online only), external 7-28 VDC supply needed, I/O-connector (3-In/2-Out)			
262	966800147	<b>LZ HSH SD RFID UP</b>	Upgrade Licence from SKIDATA ISO15693 RFID to 3rd party RFID per reader			
263	966803434	<b>HSH APP ID CARD</b>	Set of two application cards to set up the company identification for RFID usage			
264	966803436	<b>KeyVal APP ID CARD</b>	Set of two application cards to use KeyValue points with SKIDATA readers and coders			
265	966803438	<b>HSH MAN REL CARD</b>	Set of 5 control cards to release the gate manual			
266	966803440	<b>HSH FREE PASS CARD</b>	Set of 5 control cards to set the gate into free passage mode			



267	966803442	<b>HSH TICK CONT CARD</b>	Set of 5 control cards to set the gate into ticket control mode			
268	966803444	<b>HSH BLOCK MODE CARD</b>	Set of 5 control cards to set the gate into blocked mode			
269	966803446	<b>HSH PERM OPEN CARD</b>	Set of 5 control cards to set the gate into permanent open mode			
270	966803448	<b>HSH CHANGE DIR CARD</b>	Set of 5 control cards to change the direction of the gate. From entrance gate to exit gate and revers			

Збир свих јединичних цена БЕЗ ПДВ-А	
Збир свих јединичних цена СА ПДВ-ОМ	

Датум: \_\_\_\_\_

Потпис овлашћеног лица

Место: \_\_\_\_\_

(М.П.)

\_\_\_\_\_

**УПУТСТВО:**

Понуђач је дужан да попуни сваку ставку из обрасца структуре цене.

Понуђач је дужан да попуни колону "мерна јединица", "цена без пдв-а" и "цена са пдв-ом", као и збир свих јединичних цена.

Приликом попуњавања колоне "мерна јединица" треба навести комад или комплет уколико се ради о деловима који се испоручују у комплекту (минимална количина комплекта).

Цена може бити исказана у динарима или еурима.

Образац структуре цене одговорно лице понуђач треба да потпише и овери печатом.

Уговор се закључује за период до утрошка расположивих финансијских средстава. Понуђач ће испоручивати резервне делове сукцесивно, на позив наручиоца, према датим ценама. Цене се не могу мењати за време важења уговора.

## X ОБРАЗАЦ ТРОШКОВА ПРИПРЕМЕ ПОНУДЕ

У складу са чланом 88. став 1. Закона, понуђач \_\_\_\_\_  
[навести назив понуђача], у поступку јавне набавке бр. 55/14 доставља укупан  
износ и структуру трошкова припремања понуде, како следи у табели:

<b>ВРСТА ТРОШКА</b>	<b>ИЗНОС ТРОШКА У РСД</b>
<b>УКУПАН ИЗНОС ТРОШКОВА ПРИПРЕМАЊА ПОНУДЕ</b>	

Трошкове припреме и подношења понуде сноси искључиво понуђач и не може тражити од наручиоца накнаду трошкова.

Ако је поступак јавне набавке обустављен из разлога који су на страни наручиоца, наручилац је дужан да понуђачу надокнади трошкове израде узорка или модела, ако су израђени у складу са техничким спецификацијама наручиоца и трошкове прибављања средства обезбеђења, под условом да је понуђач тражио накнаду тих трошкова у својој понуди.

**Напомена:** достављање овог обрасца није обавезно.

Датум:

М.П.

Потпис понуђача

## XI ОБРАЗАЦ ИЗЈАВЕ О НЕЗАВИСНОЈ ПОНУДИ

У складу са чланом 26. Закона, \_\_\_\_\_,  
(Назив понуђача)  
даје:

### ИЗЈАВУ

### О НЕЗАВИСНОЈ ПОНУДИ

Под пуном материјалном и кривичном одговорношћу потврђујем да сам понуду у поступку јавне набавке оригиналних резервних делова за систем SkiData, бр. набавке 55/14, поднео независно, без договора са другим понуђачима или заинтересованим лицима.

Датум:

М.П.

Потпис понуђача

**Напомена:** у случају постојања основане сумње у истинитост изјаве о независној понуди, наручилац ће одмах обавестити организацију надлежну за заштиту конкуренције. Организација надлежна за заштиту конкуренције, може понуђачу, односно заинтересованом лицу изрећи меру забране учешћа у поступку јавне набавке ако утврди да је понуђач, односно заинтересовано лице повредило конкуренцију у поступку јавне набавке у смислу закона којим се уређује заштита конкуренције. Мера забране учешћа у поступку јавне набавке може трајати до две године. Повреда конкуренције представља негативну референцу, у смислу члана 82. став 1. тачка 2. Закона.

**Уколико понуду подноси група понуђача,** Изјава мора бити потписана од стране овлашћеног лица сваког понуђача из групе понуђача и оверена печатом.

**XII ОБРАЗАЦ ИЗЈАВЕ О ПОШТОВАЊУ ОБАВЕЗА ИЗ ЧЛ. 75.  
СТ. 2. ЗАКОНА**

У вези члана 75. став 2. Закона о јавним набавкама, као заступник понуђача дајем следећу

**ИЗЈАВУ**

Понуђач.....[навести назив понуђача] у поступку јавне набавке оригиналних резервних делова за систем SkiData, бр. набавке 55/14, поштовао је обавезе које произлазе из важећих прописа о заштити на раду, запошљавању и условима рада, заштити животне средине и гарантујем да је ималац права интелектуалне својине.

Датум

Понуђач

М.П.

**Напомена: Уколико понуду подноси група понуђача, Изјава мора бити потписана од стране овлашћеног лица сваког понуђача из групе понуђача и оверена печатом.**

## XIII МОДЕЛ УГОВОРА

### УГОВОР О НАБАВЦИ ОРИГИНАЛНИХ РЕЗЕРВНИХ ДЕЛОВА ЗА СИСТЕМ SKI DATA

Закључен између:

**Јавног предузећа "Скијалишта Србије"**, са седиштем у Новом Београду, Милутина Миланковића 9, ПИБ 104521515, које заступа В.д. директора Дејан Љевнаић (у даљем тексту КУПАЦ)

и

\_\_\_\_\_ са седиштем у \_\_\_\_\_ улица \_\_\_\_\_, ПИБ \_\_\_\_\_, које заступа директор \_\_\_\_\_ (у даљем тексту ПРОДАВАЦ)

Уговорне стране сагласно констатују да је:

- Купац спровео поступак јавне набавке оригиналних резервних делова за систем произвођача SkiData, редни број набавке 55/14, у преговарачком поступку без објављивања позива за подношење понуда, у складу са чланом 36. став 1. тачка 2. Закона о јавним набавкама ("Сл. гласник Републике Србије" 124/12) и позитивним мишљења Управе за јавне набавке бр. 404-02-1023/14 од 24.03.2014. године;
- Продавац поднео Понуду бр. \_\_\_\_\_ од \_\_\_\_\_ 2014. године, у поступку јавне набавке бр. 55/14, заведена код Купца под бројем \_\_\_\_\_ од \_\_\_\_\_ 2014. године;
- да је Купац у поступку јавне набавке бр. 55/14 донео Одлуку о додели уговора бр. // // // // // од // // // // // 2014. године, којом је уговор за јавну набавку оригиналних резервних делова за систем SkiData, додељен Продавцу.

#### Предмет уговора

##### Члан 1.

Предмет овог уговора је набавка оригиналних резервних делова за систем SkiData, у свему према техничкој спецификацији, обрасцу понуде и обрасцу структуре цена из понуде Продавца бр. \_\_\_\_\_ од \_\_\_\_\_. године, заведена код Купца под бројем // // // // // од // // // // // године, који су саставни део овог Уговора и налазе се у прилогу истог.

#### Цена

##### Члан 2.

Укупна купопродајна вредност оригиналних резервних делова за систем SkiData, наведених у техничкој спецификацији, износи 2.500.000,00 динара без пдв-а, односно \_\_\_\_\_ динара са пдв-ом.

Цене по јединици мере оригиналних резервних делова за систем SkiData су дате на паритету СІР ски центар Копаоник и фиксне су, то јест не могу се повећавати до окончања извршења овог уговора.

Цене по јединици мере, наведене у понуди Продавца из члана 1. Овог уговора, важиће без обзира на количине добара које ће Купац поручивати.

## **Рок и начин плаћања**

### **Члан 3.**

Купац је у обавези да врши плаћање на текући рачун Продавца бр. \_\_\_\_\_ код \_\_\_\_\_ банке, у складу са испорученим количинама и уговореним ценама по јединици мере, увећаним за износ обрачунатог пореза на додату вредност по важећој стопи, у року од 15 дана од дана када је Купац примио исправан рачун за сваку појединачну испоруку, а на основу документа о извршеној испоруци добара.

*У случају да су цене по јединици мере исказане у еурима, Купац ће вршити плаћање Продавцу у динарској противвредности по званичном средњем девизном курсу НБС за еуро на дан фактурисања.*

## **Рок, начин и место испоруке**

### **Члан 4.**

Продавац се обавезује да оригиналне резервне делове из члана 1. овог уговора испоручује сукцесивно, према потребама Купца, у року од \_\_\_\_ дана од дана пријема писменог захтева Купца, који ће садржати назив и врсту делова, количине и рок испоруке.

Место испоруке је ски центар Копаоник.

Купац задржава право да одустане од набавке предметних добара, без обавезе плаћања било какве накнаде штете, уколико дође до промене околности у пословању Купца.

## **Амбалажа**

### **Члан 5.**

Продавац се обавезује да ће оригиналне резервне делове из члана 1. овог Уговора испоручити у амбалажи која ће резервне делове штитити од промене својстава, која је уобичајена за паковање и која у потпуности одговара предметним добрима.

## **Уговорна казна**

### **Члан 6.**

Ако Продавац не испоручи оригиналне резервне делове из члана 1. овог Уговора до рока одређеног Чланом 4. овог Уговора, дужан је да плати Купцу казну од 0,5% од укупне купопродајне цене оригиналних резервних делова за сваки дан кашњења, а највише до 10% укупне вредности овог уговора.

Приликом исплате Купац ће умањити износ на рачуну у случају кашњења испоруке за износ уговорене казне дефинисане ставом 1. овог члана или упутити налог да му Продавац уплати износ у висини уговорене казне.

За умањење новчаног износа рачуна из разлога наведених у претходном ставу Купац није обавезан да тражи сагласност Продавца, али је дужан да га у року од 8 дана писмено обавести о разлозима извршеног умањења.

Наплата уговорне казне ни у ком случају нема утицаја на право Купца да захтева накнаду штете.

## **Квантитативно-квалитативна примопредаја**

### **Члан 7.**

Квантитативно-квалитативни пријем оригиналних резервних делова из члана 1. овог Уговора извршиће се прегледом од стране овлашћеног лица Купца приликом преузимања истих, а према отпремним документима Продавца.

По извршеном квантитативно-квалитативном пријему овлашћени представници Купца и Продавца сачиниће Записник о примопредаји који ће потписати и оверити.

Уколико Купац приликом пријема оригиналних резервних делова из члана 1 овог Уговора уочи да исти није испоручен у потпуности у складу са техничким карактеристикама по приваћеној понуди Продавца, сматраће се да испорука предмета купопродаје није извршена, а Купац ће ставити предмет купопродаје на располагање Продавцу, без било какве одговорности Купца за случајну пропаст истог.

Све трошкове накнадног слања грешком неиспоручених делова или замене делова неодговарајућег квалитета сноси Продавац.

Продавац је у обавези да испоручи искључиво делове и количине које су тражене од стране Купца, у супротном Продавац је дужан да накнади сву насталу штету, а Купац није у обавези да изврши плаћање добара и количина које нису тражене.

## **Грешке у квалитету испоручених добара и гарантни рок**

### **Члан 8.**

Оригинални резервни делови из члана 1. овог Уговора морају бити потпуно нови и неупотребљавани, из текуће производње, без икаквих оштећења или мана и да у потпуности испуњавају карактеристике према техничкој документацији оригиналног произвођача.

Продавац обезбеђује гаранцију оригиналних резервних делова у складу са гаранцијом произвођача.

У случају да су утврђени недостаци у квалитету израде резервних делова из члана 1. овог Уговора, Продавац мора исте отклонити или заменити исте најкасније у року од 10 дана од дана достављања рекламације Продавцу.

Продавац је дужан да оригиналне резервне делове замени или отклони недостатке у року од 10 дана, а од дана писменог обавештења Купца уколико се у току употребе:

- појави било каква производна грешка као последица евентуално слабе израде или лошег квалитета,
- испостави се да не испуњава у потпуности карактеристике према техничкој документацији произвођача.

## Спорови

### Члан 9.

Уговорне стране су сагласне да евентуалне спорове првенствено решавају договором. У случају да се исти не могу решити договором надлежан је стварно надлежни суд у Београду.

## Завршне одредбе

### Члан 10.

За све што овим Уговором није предвиђено примењиваће се одредбе Закона о облигационим односима.

### Члан 11.

Уговор ступа на снагу даном потписивања од стране Купца и Продавца. Утрошком финансијских средстава Купца у износу од 2.500.000,00 динара без пдв-а, односно \_\_\_\_\_ динара са пдв-ом, престаје важност овог уговора, о чему Купац писаним путем обавештава Продавца.

### Члан 12.

Овај Уговор је сачињен у 4 (четири) примерка на српском језику, по 2 (два) за сваку уговорну страну.

### ЗА ПРОДАВЦА

Директор

### ЗА КУПЦА

в.д. директора  
Дејан Љевнаић

### НАПОМЕНА:

Овај модел уговора представља садржину уговора који ће бити закључен са изабраним понуђачем (уз евентуалне корекције из предмета преговарања), и наручилац ће, ако понуђач без оправданих разлога одбије да закључи уговор о јавној набавци, након што му је уговор додељен, Управи за јавне набавке доставити доказ негативне референце, односно исправу о реализованом средству обезбеђења испуњења обавеза у поступку јавне набавке.

Понуђач је дужан да модел уговора попуни, овери печатом и потпише последњу страну модела уговора. Уколико понуђач не потпише последњу страну модела уговора, понуда ће бити одбијена као неприхватљива у смислу одредаба чл. 106 став 1 тачка 5) Закона о јавним набавкама.